

BRERA 75

Version

Worktop - 75 cm - Black - 800 m³/h

Mbledhja

Cooking systems

Kodi EAN

8034122901039

KARAKTERISTIKAT GJENERIKE

Treguesi i nxehtësisë së mbetur

Funksioni Recall: rivendosni cilësimet e gatimit në rast të fikjes aksidentale

Funksioni i rutjajes së ushqimeve të ngrohta

Kontroll Touch Slider për çdo zonë gatimi

9 nivele gatimi + Booster

Sensor për identifikimin e enëve

Automatic cut-off timer (for each cooking zone)

Kohëmatës

Fikje e sigurtë/Funksioni i bllokimi

Funksioni thyej

Chef function: setting 4 different power levels in the 4 cooking zones

Motor pa karbonçina

Funksion automatik (shpejtësia e thithjes përshtatet automatikisht me fuqinë e gatimit)

4 zona gatimi me teknologjinë

Flex Surface

Motorized flap system

Bridge function

I pajisur me kolektor për ujin (lëngjet)

Power level management from 2.8kW to 7.4kW

Carbon.Zeo Microtech filter (optional)

NË DISPOZICION AKSESORË OPSIONALE

KACL.1026

Silence Kit

KACL.1037

Filter Carbon.Zeo Microtech renewable

KARAKTERISTIKAT TEKNIKE

Instalimi

Worktop

Përmasat e produktit

75 cm

Ngjyra

Xham qeramik e zeze Schott

Motor

800 m³/h

Paneli i kontrollit

Kontrolli me prekje

Shpejtësia e funksionimit

9 + boost



Imazh tregues i produktit

Mund të mos përputhet me versionin e zgjedhur

PAKETIM: PESHAT DHE VËLLIMET

Peshë bruto

35.5 kg

Pesha neto

30.3 kg

Vëllimi

0.29 m³

Paketim

Gjatësia

980 mm

Lartësia

480 mm

Thellesi

615 mm

Funksionet e lidhjes dhe konsumit

Konsumi maksimal

280 W

Tensioni

220-240V

Frekuenca

50-60Hz

Klasit të energjisë

A+++

BRERA 75

Version










Worktop - 75 cm - Black - 800
m3/h

Mbledhja

Cooking systems

Kodi EAN

8034122901039



BRERA 75

Version

Worktop - 75 cm - Black - 800
m3/h


Mbledhja

Cooking systems

Kodi EAN

8034122901039

Etiketen e energjise



PF		
S	Falmec Spa	
M	Worktop - 75 cm - Black - 800 m3/h	
AEC	16,5	kWh/a
EEC	A+++	
FDE	43,4	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	254,0	m ³ /h
Qmax	640,0	m ³ /h
Qboost	690,0	m ³ /h
SPEmin	44	dBa
SPEmax	65	dBa
SPEboost	66	dBa
PO	-	W
PS	0,48	W
PI		
F	0.4	
EEl	21,3	
Qbep	384,0	m ³ /h
Pbep	460	Pa
Qboost	690,0	m ³ /h
Wbep	113,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	65	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEI_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax_Sound pressure level at the highest speed.