

## LAGUNA

### Version

Island - 60 cm - Inox - 800  
m<sup>3</sup>/h (hood)

### Designer

### Collection

Design

### EAN code

8034122349367

## FEATURES

Perimeter suction

Electronic control

LED lighting

Metallic grease filter, removable  
and washable

Charcoal filter

Dimmable lighting

Dynamic Light (2700K - 5600K)

From 04.11.2024 the dynamic and  
dimmable light is included.

## OPTIONAL ACCESSORIES

### KACL.815

Protective cleaning cloths for  
stainless steel (box 10 pcs)

### KACL.887#F

White glass kit - Island 60 cm

### KACL.887#N

Black glass kit - Island 60 cm

## TECHNICAL FEATURES

### Installation type

Island

### Dimensions

60 cm

### Finishing

Scotch brite stainless steel (AISI  
304)

Black tempered glass

White tempered glass

Available for customizable panel

### Motor

800 m<sup>3</sup>/h

### Type of control

Electronic control

### Speed

3 + boost

### Lighting

Led 4x1,2 W - 2700 K / 5600 K

### Filter

2 x Metallic filter "Base" -  
235x245 mm (spare part)

### Charcoal filter

Round charcoal filter Ø170 mm -  
Type 6 (included)

### Minimum distance

Gas hob: 60 cm

Electric hob: 52 cm



Photograph is for information purposes only  
It may not correspond to the selected version.

## PACKAGING:WEIGHTS AND VOLUMES

### Gross weight

36 kg

### Net weight

30 kg

### Volumes

0.39 m<sup>3</sup>

### Packaging size

Length

1035 mm

Height

510 mm

Depth

740 mm

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

280 W

### Voltage

220-240V

### Frequency

50-60Hz

### Plug type

Shuko

## MOTOR TECHNICAL SHEET

### Maximum capacity

670 m<sup>3</sup>/h

I.E.C. 61591

### Maximum noise level

67 dB(A)re1pW

I.E.C.60704-2-13

### Maximum pressure (Pa)


500 Pa

### Max. motor power

215 W

## ENERGY CLASS

B



## LAGUNA

### Version

Island - 60 cm - Inox - 800  
m3/h (hood)

### Designer

### Collection

Design


### EAN code

8034122349367

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	49	55	61	67
Capacity (m3/h) I.E.C.61591	270	360	470	670
Maximum pressure (Pa)	390	420	460	500
Power (W)	134	156	180	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE



## LAGUNA

### Version

Island - 60 cm - Inox - 800  
m3/h (hood)

### Designer


### Collection

Design

### EAN code

8034122349367

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Island - 60 cm - Inox - 800 m3/h (hood)	
AEC	65,6	kWh/a
EEC	B	
FDE	25,5	
FDEC	B	
LE	28,4	
LEC	A	
GFE	53,0	
GFEC	F	
Qmin	270,0	m <sup>3</sup> /h
Qmax	470,0	m <sup>3</sup> /h
Qboost	670,0	m <sup>3</sup> /h
SPEmin	49	dBa
SPEmax	61	dBa
SPEboost	67	dBa
PO	-	W
PS	0,48	W
PI		
F	1,1	
EEl	64,8	
Qbep	333,0	m <sup>3</sup> /h
Pbep	407	Pa
Qboost	670,0	m <sup>3</sup> /h
Wbep	147,7	W
WL	8,60	W
Emiddle	245	lux
Lwa-SPEmax	61	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point /

Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximun air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.