

## LUMEN

### Versiune

Perete 90 cm - 800 m<sup>3</sup>/h

### Colectie

Design

### Cod EAN

8034122324876



Fotografie cu caracter strict orientativ  
Aceasta poate sa nu corespunda versiunii selectate

## CARACTERISTICI

**Inox AISI 304 Scotch Brite**  
**Control electronic**  
**Lumina ambientala cu neon**  
**Iluminare cu neon**  
**Filtru de aer Air Falmec pentru aspiratie echilibrata**  
**Filtru de carbon inclus**

## ACCESORII OPTIONALE

**KACL.510#I**  
Extensie H700 - Perete  
**KACL.512#I**  
Extensie H960 - Perete  
**KACL.770#41F**  
Motor de acoperis 1100 m<sup>3</sup>/h  
Brushless  
**KACL.786#41F**  
Motor de exterior 1000 m<sup>3</sup>/h  
**KACL.796#4AF**  
Motor de exterior 1500 m<sup>3</sup>/h  
**KACL.797#4AF**  
Motor de acoperis 1300 m<sup>3</sup>/h  
**KACL.798#41F**  
Motor de acoperis 950 m<sup>3</sup>/h  
**KACL.815**  
Lavete pentru curatare inox  
(cutie 10 buc)

## CARACTERISTICI TEHNICE

**Tip de instalare**  
De perete  
**Dimensiuni**  
90 cm  
**Finisaj**  
Inox Scotch Brite (AISI 304)  
**Motor**  
800 m<sup>3</sup>/h  
**Tipul panoului de control**  
Control electronic  
**Setari de viteza**  
4  
**Iluminare**  
Neon 1x21 W  
**Filtru**  
3 x Filtru metalic "Air Falmec" -  
Perete 285x301 mm  
**Filtru de Carbon**  
Filtru de carbon rectangular -  
Tip 3 (optional)  
**Distanta minima**  
Plita cu gaz: 63 cm  
Plita electrica: 52 cm

## AMBALARE: GREUTATE SI VOLUM


**Greutate bruta**  
24 kg  
**Greutate neta**  
19 kg  
**Volum**  
0.25 m<sup>3</sup>  
**Dimensiuni ambalaj**  
Lungime  
995 mm  
Inaltime  
430 mm  
Adancime  
595 mm

## CARACTERISTICI CONSUM SI CONEXIUNE

**Consum maxim**  
320 W  
**Curent**  
220-240V  
**Frecventa**  
50-60Hz  
**Tip stecher**  
Shuko

## FISA TEHNICA MOTOR

**Capacitate maxima**  
680 m<sup>3</sup>/h  
I.E.C. 61591  
**Nivel de zgomot maxim**  
68 dB(A)re1pW  
I.E.C.60704-2-13  
**Presiune maxima (Pa)**  
500 Pa  
**Putere maxima motor**  
215 W  
**CLASA DE ENERGIE**  
B



## LUMEN

### Versiune

Perete 90 cm - 800 m<sup>3</sup>/h

### Colectie

Design

### Cod EAN

8034122324876

## FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	49	56	62	68
Capacitate (m <sup>3</sup> /h) I.E.C.61591	280	370	480	680
Presiune maxima (Pa)	390	420	480	500
Putere motor (W)	132	153	175	215
Evacuare aer	150	150	150	150

## CAPACITATE/ PRESIUNE



## LUMEN

### Versiune

Perete 90 cm - 800 m3/h


### Colectie

Design

### Cod EAN

8034122324876

## ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Perete 90 cm - 800 m3/h	
AEC	79,1	kWh/a
EEC	B	
FDE	26,3	
FDEC	B	
LE	14,6	
LEC	D	
GFE	80,0	
GFEC	C	
Qmin	280,0	m <sup>3</sup> /h
Qmax	480,0	m <sup>3</sup> /h
Qboost	680,0	m <sup>3</sup> /h
SPEmin	49	dBa
SPEmax	62	dBa
SPEboost	68	dBa
PO	-	W
PS	0,48	W
PI		
F	1.1	
EEl	69,8	
Qbep	382,0	m <sup>3</sup> /h
Pbep	384	Pa
Qboost	680,0	m <sup>3</sup> /h
Wbep	155,1	W
WL	23,00	W
Emiddle	336	lex
Lwa-SPEmax	62	dBa