

LUMEN

Versiune

Insula 120 cm - 800 m³/h

Colectie

Design

Cod EAN

8034122322872



Fotografie cu caracter strict orientativ
Aceasta poate sa nu corespunda versiunii selectate

CARACTERISTICI

Inox AISI 304 Scotch Brite
Control electronic
Lumina ambientala cu neon
Iluminare cu neon
Filtru de aer Air Falmec pentru aspiratie echilibrata
Filtru de carbon inclus

ACCESORII OPTIONALE

KACL.557#I

Extensie H1200 - Insula

KACL.770#41F

Motor de acoperis 1100 m³/h
Brushless

KACL.786#41F

Motor de exterior 1000 m³/h

KACL.796#4AF

Motor de exterior 1500 m³/h

KACL.797#4AF

Motor de acoperis 1300 m³/h

KACL.798#41F

Motor de acoperis 950 m³/h

KACL.815

Lavete pentru curatare inox
(cutie 10 buc)

CARACTERISTICI TEHNICE

Tip de instalare

Insula

Dimensiuni

120 cm

Finisaj

Inox Scotch Brite (AISI 304)

Motor

800 m³/h

Tipul panoului de control

Control electronic

Setari de viteza

4

Iluminare

Neon 2x13 W

Filtru

4 x Filtru metalic "Air Falmec" -

Insula 285x301 mm

Filtru de Carbon

Filtru de carbon rectangular -

Tip 3 (optional)

Distanta minima

Plita cu gaz: 63 cm

Plita electrica: 52 cm

AMBALARE: GREUTATE SI VOLUM

Greutate bruta

43 kg

Greutate neta

35 kg

Volum

0.42 m³

Dimensiuni ambalaj

Lungime

1330 mm

Inaltime

440 mm

Adancime

725 mm

CARACTERISTICI CONSUM SI CONEXIUNE

Consum maxim

320 W

Curent

220-240V

Frecventa

50-60Hz

Tip stecher

Shuko

FISA TEHNICA MOTOR

Capacitate maxima

680 m³/h

I.E.C. 61591

Nivel de zgomot maxim

68 dB(A)re1pW

I.E.C.60704-2-13

Presiune maxima (Pa)


500 Pa

Putere maxima motor

215 W

CLASA DE ENERGIE

C



LUMEN

Versiune

Insula 120 cm - 800 m³/h

Colectie

Design

Cod EAN

8034122322872

FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	49	56	62	68
Capacitate (m ³ /h) I.E.C.61591	280	370	480	680
Presiune maxima (Pa)	390	420	480	500
Putere motor (W)	132	153	175	215
Evacuare aer	150	150	150	150

CAPACITATE/ PRESIUNE



LUMEN

Versiune

Insula 120 cm - 800 m3/h


Colectie

Design

Cod EAN

8034122322872

ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Insula 120 cm - 800 m3/h	
AEC	103,2	kWh/a
EEC	C	
FDE	26,3	
FDEC	B	
LE	10,6	
LEC	E	
GFE	80,0	
GFEC	C	
Qmin	280,0	m ³ /h
Qmax	480,0	m ³ /h
Qboost	680,0	m ³ /h
SPEmin	49	dBa
SPEmax	62	dBa
SPEboost	68	dBa
PO	-	W
PS	0,48	W
PI		
F	1,1	
EEl	78,5	
Qbep	382,0	m ³ /h
Pbep	384	Pa
Qboost	680,0	m ³ /h
Wbep	155,1	W
WL	56,00	W
Emiddle	596	lex
Lwa-SPEmax	62	dBa