

## ZENITH NRS

### Version

Island - 800 m<sup>3</sup>/h

### Collection

NRS Collection

### EAN code

8034122354866

## KACL.127

90 cm

### Collection

Accessoires

### EAN code

8034122710105

## FEATURES

**Scotch brite stainless steel (AISI 304)**

**NRS technology for a quieter kitchen**

**Electronic control**

**Metallic grease filter, removable and washable**

**Optional charcoal filter**

**Optional remote control**

**Central stripe made in brilliant steel**

**Tempered glass shelf**

**Diffuse illumination on the shelf**

## OPTIONAL ACCESSORIES

### KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

### KACL.400

Silent / Conveyor NRS

### 101078898

High Performance Filter

## TECHNICAL FEATURES

### Installation type

Island

### Dimensions

90 cm

### Finishing

Scotch brite stainless steel (AISI 304)

Tempered glass

### Motor

800 m<sup>3</sup>/h

### Type of control

Electronic control

### Speed settings

4

### Lighting

40 W (5500K)

### Filter

Metallic filter - Zenith Island - 2 pz

### Charcoal filter

High Performance Filter

### Minimum distance

Gas hob: 60 cm

Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES

### ZENITH NRS

Island - 800 m<sup>3</sup>/h

### Gross weight

38.00 kg

### Net weight

32.00 kg

### Volume

0.42 m<sup>3</sup>

### Packaging size

Length

1070 mm

Height

870 mm

Depth

450 mm

### GLASS KIT

90 cm

### Gross weight

27.00 kg

### Net weight

18.00 kg

### Volumes

0.12 m<sup>3</sup>

### Packaging size

Length

970 mm

Height

180 mm

Depth

670 mm

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

350 W

### Voltage / Frequency

220-240V

50-60Hz

### Plug type

Shuko

## MOTOR TECHNICAL SHEET

### Maximum capacity

610 m<sup>3</sup>/h

I.E.C. 61591

### Maximum noise level

54,5 dB(A)re1pW

I.E.C.60704-2-13

### Maximum pressure (Pa)

510 Pa

### Max. motor power

224 W

### ENERGY CLASS

C

## ZENITH NRS

### Version

Island - 800 m<sup>3</sup>/h

### Collection

NRS Collection

### EAN code

8034122354866

## KACL.127


90 cm

### Collection

Accessoires

### EAN code

8034122710105



## ZENITH NRS

### Version

Island - 800 m<sup>3</sup>/h

### Collection

NRS Collection

### EAN code

8034122354866

## KACL.127

90 cm

### Collection

Accessoires

### EAN code

8034122710105

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591 Normalized Pipes	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Motor Power (W)	130	150	178	224
Air outlet	150	150	150	150

ZENITH NRS

KACL.127

90 cm

**Version**

Island - 800 m<sup>3</sup>/h

**Collection**

NRS Collection

**EAN code**

8034122354866


**Collection**

Accessoires

**EAN code**

8034122710105

**ENERGY LABEL**



PF		
<b>S</b>	Falmec Spa	
<b>M</b>	Island - 800 m <sup>3</sup> /h	
<b>AEC</b>	103,3	kWh/a
<b>ECC</b>	C	
<b>FDE</b>	28,9	
<b>FDEC</b>	A	
<b>LE</b>	6,8	
<b>LEC</b>	F	
<b>GFE</b>	76,0	
<b>GFEC</b>	C	
<b>Qmin</b>	220,0	m <sup>3</sup> /h
<b>Qmax</b>	375,0	m <sup>3</sup> /h
<b>Qboost</b>	610,0	m <sup>3</sup> /h
<b>SPEmin</b>	37	dBa
<b>SPEmax</b>	46	dBa
<b>SPEboost</b>	55	dBa
<b>PO</b>	-	W
<b>PS</b>	0,48	W
PI		
<b>F</b>	1,0	
<b>EEl</b>	80,0	
<b>Qbep</b>	369,0	m <sup>3</sup> /h
<b>Pbep</b>	369	Pa
<b>Qboost</b>	610,0	m <sup>3</sup> /h
<b>Wbep</b>	131,0	W
<b>WL</b>	76,00	W
<b>Emiddle</b>	519	lux
<b>Lwa-SPEmax</b>	46	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.