

## DOWN DRAFT

### Versiune

Motor Slim 800 m<sup>3</sup>/h

### Colectie

Design+

### Cod EAN

8034122348094



Fotografie cu caracter strict orientativ  
Aceasta poate sa nu corespunda versiunii selectate

## CARACTERISTICI

**Aspiratie perimetrala**  
**Touch control + functia 24 h**  
**Iluminare cu LED**  
**Optional - filtru combinat**  
**Carbon.Zeo, regenerabil**  
**Optional - telecomanda**

## ACCESORII OPTIONALE

**KACL.815**  
Lavete pentru curatare inox  
(cutie 10 buc)  
**KACL.930**  
Filtru Carbon.Zeo Mic  
**105080053**  
Telecomanda

## CARACTERISTICI TEHNICE

**Tip de instalare**  
De blat  
**Dimensiuni**  
90 cm  
**Finisaj**  
Inox Scotch Brite (AISI 304)  
**Tipul panoului de control**  
Touch control  
**Setari de viteza**  
4  
**Iluminare**  
Banda cu LED  
**Filtru**  
2 x Filtru metalic "Top" - 254x216 mm  
**Filtru de Carbon**  
Filtru Carbon.Zeo Mic (optional)

## AMBALARE: GREUTATE SI VOLUM

### DOWN DRAFT Greutate bruta

44 kg

### Greutate neta

37 kg

### Volum

0.34 m<sup>3</sup>

### Dimensiuni ambalaj

Lungime

1070 mm

Inaltime

370 mm

Adancime

870 mm

### TELECOMANDA Motor Slim

800 m<sup>3</sup>/h **Greutate bruta**

10.3 kg

### Greutate neta

9 kg

### Volum

0.07 m<sup>3</sup>

### Dimensiuni ambalaj

Lungime

515 mm

Inaltime

440 mm

Adancime

320 mm

## CARACTERISTICI CONSUM SI CONEXIUNE

### Consum maxim

30 W

### Curent

220-240V

### Frecventa

50-60Hz

### Tip stecher

Shuko

## FISA TEHNICA MOTOR

### Capacitate maxima

620 m<sup>3</sup>/h

I.E.C. 61591

### Nivel de zgomot maxim

67 dB(A)re1pW

I.E.C.60704-2-13

### Presiune maxima (Pa)

400 Pa

### Putere maxima motor

270 W

## CLASA DE ENERGIE

C

## DOWN DRAFT

### Versiune

Motor Slim 800 m<sup>3</sup>/h

### Colectie

Design+

### Cod EAN

8034122348094

## FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW- I.E.C.60704-2-13	52	57	64	67
Capacitate (m <sup>3</sup> /h) I.E.C.61591	325	330	550	620
Presiune maxima (Pa)	450	500	400	400
Putere motor (W)	200	230	240	270
Evacuare aer	220x90	220x90	220x90	220x90

## CAPACITATE/ PRESIUNE



## DOWN DRAFT

### Versiune

Motor Slim 800 m<sup>3</sup>/h


### Colectie

Design+

### Cod EAN

8034122348094

## ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Motor Slim 800 m <sup>3</sup> /h	
AEC	99,5	kWh/a
EEC	C	
FDE	19,3	
FDEC	C	
LE	3,0	
LEC	G	
GFE	36,0	
GFEC	G	
Qmin	325,0	m <sup>3</sup> /h
Qmax	550,0	m <sup>3</sup> /h
Qboost	620,0	m <sup>3</sup> /h
SPEmin	52	dBa
SPEmax	64	dBa
SPEboost	67	dBa
PO	-	W
PS	0,48	W
PI		
F	1.3	
EEl	79,3	
Qbep	440,0	m <sup>3</sup> /h
Pbep	271	Pa
Qboost	620,0	m <sup>3</sup> /h
Wbep	172,0	W
WL	19,00	W
Emiddle	57	lex
Lwa-SPEmax	64	dBa