

DOWN DRAFT

Loftmotorer under taget 950 m³/h

Sortiment

Design+

EAN Kode

8034122348100



Fotografiet er udelukkende informativt
Korresponderer ikke nødvendigvis tmed den valgte model

FUNKTIONER

Kantsug
Touch control og 24 t. funktion
TOP Vaskbare rustfrie fedtfiltere
Mulighed for Kul/Zeolitfilter.
Regenererbart
Tilvalg fjernbetjening
Motor sold separatly
Mulighed for Connection kogeplade
Strip LED

MULIGHEDER FOR TILVALG

01-FJERN

Fjernbetjening med display

01MO-GAVL

Gavlmotor til udendørs brug
1000 m³/h

01MO-GAVL-15

Gavlmotor til udendørs brug
1500 m³/h

01MO-LOFT

Loftmotorer under taget 950 m³/h

01MO-LOFT-13

Loftmotor 1300 m³ Ø200 mm

07MAGIC

Beskyttende rensklude til rustfrit stål. Kasse med 10 klude

KACL.770#41F

Loftmotorer 1100 m³/h
Brushless

KACL.784#46F

Slim motor 800 m³/h

KACL.930

Kit kul / zeolitfilter

KACL.951

Underbase Slim filter unit (h60mm)

TEKNISK BESKRIVELSE

Installation
Kogeplade

Dimensioner
90 cm

Materiale
Scotch brite rustfrit stål (AISI 304)

Sort tempereret glas

Betjening
Betjening med touch

Hastighed
3 + boost

Belysning
LED stribe

Filter
2 x Metalfiltere - Top - 254x216 mm

Kulfilter
Kit kul / zeolitfilter (Tilvalg)

EMBALLAGE: VÆGT OG VOLUMEN

DOWN DRAFT Bruttovægt

44 kg

Nettovægt

37 kg

Volumen

0.34 m³

Mål på emballage

Længde

1070 mm

Højde

370 mm

Dybde

870 mm

EKSTERN MOTOR Loftmotorer under taget 950 m³/h

Bruttovægt

10 kg

Nettovægt

9 kg

Volumen

0.06 m³

Mål på emballage

Længde

435 mm

Højde

340 mm

Dybde

385 mm

FORBRUG OG TILSLUTNINGSMULIGHEDER

Maksimalt forbrug

30 W

Spænding

220-240V

Frekvens

50-60Hz

Shuko

DATABLAD MOTOR

Maksimal kapacitet

730 m³/h

I.E.C. 61591

Maksimalt støjniveau

68 dB(A)re1pW

I.E.C.60704-2-13

Maksimalt tryk (Pa)





580 Pa

Maksimal sugestyrke

240 W

ENERGIKLASSE

B



DOWN DRAFT

Loftmotorer under taget 950
m³/h

Sortiment

Design+


EAN Kode

8034122348100

DATABLAD MOTOR

Motorhastighed	1	2	3	4
Støjniveau dB(A) _{re1pW-I.E.C.60704-2-13}	51	59	64	68
Kapacitet (m ³ /h) I.E.C.61591	330	480	610	730
Maksimalt tryk (Pa)	460	520	560	580
Forbrug (W)	187	210	225	240
Luftudtag	150	150	150	150

KAPACITET / TRYK



DOWN DRAFT


Loftmotorer under taget 950
m³/h

Sortiment

Design+

EAN Kode

8034122348100



PF		
S	Falmec Spa	
M	Loftmotorer under taget 950 m ³ /h	
AEC	75,4	kWh/a
EEC	B	
FDE	24,6	
FDEC	B	
LE	6,5	
LEC	F	
GFE	36,0	
GFEC	G	
Qmin	330,0	m ³ /h
Qmax	610,0	m ³ /h
Qboost	730,0	m ³ /h
SPEmin	51	dBa
SPEmax	64	dBa
SPEboost	68	dBa
PO	-	W
PS	0,95	W
PI		
F	1,1	
EEI	65,2	
Qbep	369,0	m ³ /h
Pbep	422	Pa
Qboost	730,0	m ³ /h
Wbep	176,0	W
WL	6,50	W
Emiddle	42	lux
Lwa-SPEmax	64	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEI_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.