

## MENHIR

### Versiune

Insula 70 cm - 800 m<sup>3</sup>/h

### Colectie

Design+

### Cod EAN

8034122327211



Fotografie cu caracter strict orientativ  
Aceasta poate sa nu corespunda versiunii selectate

## CARACTERISTICI

**Aspiratie perimetrala**  
**Control electronic**  
**Iluminare cu neon**  
**Filtru de grasime metalic, detasabil si lavabil**  
**Filtru de carbon inclus**

## ACCESORII OPTIONALE

### KACL.770#41F

Motor de acoperis 1100 m<sup>3</sup>/h  
Brushless

### KACL.786#41F

Motor de exterior 1000 m<sup>3</sup>/h

### KACL.796#4AF

Motor de exterior 1500 m<sup>3</sup>/h

### KACL.797#4AF

Motor de acoperis 1300 m<sup>3</sup>/h

### KACL.798#41F

Motor de acoperis 950 m<sup>3</sup>/h

### KACL.815

Lavete pentru curatare inox  
(cutie 10 buc)

## CARACTERISTICI TEHNICE

### Tip de instalare

Insula

### Dimensiuni

70 cm

### Finisaj

Sticla transparenta tratata  
termic gravata

Inox AISI 304 Scotch Brite cu  
finisaj lucios in partea inferioara

### Motor

800 m<sup>3</sup>/h

### Tipul panoului de control

Control electronic

### Setari de viteza

4

### Iluminare

Neon 2x13 W

### Filtru

2 x Filtru metalic "Base" -  
245x190 mm

### Filtru de Carbon

Filtru de carbon rotund Ø170 mm  
- Tip 6 (inclus)

### Distanta minima

Plita cu gaz: 60 cm

Plita electrica: 52 cm

## AMBALARE: GREUTATE SI VOLUM

### Greutate bruta

52 kg

### Greutate neta

46 kg

### Volum

0.45 m<sup>3</sup>

### Dimensiuni ambalaj

Lungime

1070 mm

Inaltime

480 mm

Adancime

870 mm

## CARACTERISTICI CONSUM SI CONEXIUNE

### Consum maxim

320 W

### Curent

220-240V

### Frecventa

50-60Hz

### Tip stecher

Shuko

## FISA TEHNICA MOTOR

### Capacitate maxima

700 m<sup>3</sup>/h

I.E.C. 61591

### Nivel de zgomot maxim

65 dB(A)re1pW

I.E.C.60704-2-13

### Presiune maxima (Pa)


510 Pa

### Putere maxima motor

224 W

## CLASA DE ENERGIE

B



## MENHIR

### Versiune

Insula 70 cm - 800 m<sup>3</sup>/h

### Colectie

Design+


### Cod EAN

8034122327211

## FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	45	52	57	65
Capacitate (m <sup>3</sup> /h) I.E.C.61591	270	370	470	700
Presiune maxima (Pa)	390	440	490	510
Putere motor (W)	130	150	178	224
Evacuare aer	150	150	150	150

## CAPACITATE/ PRESIUNE



## MENHIR

### Versiune

Insula 70 cm - 800 m3/h


### Colectie

Design+

### Cod EAN

8034122327211

## ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Insula 70 cm - 800 m3/h	
AEC	68,8	kWh/a
EEC	B	
FDE	28,1	
FDEC	A	
LE	5,2	
LEC	F	
GFE	62,0	
GFEC	E	
Qmin	270,0	m <sup>3</sup> /h
Qmax	470,0	m <sup>3</sup> /h
Qboost	700,0	m <sup>3</sup> /h
SPEmin	45	dBa
SPEmax	57	dBa
SPEboost	65	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	63,0	
Qbep	366,0	m <sup>3</sup> /h
Pbep	423	Pa
Qboost	700,0	m <sup>3</sup> /h
Wbep	153,0	W
WL	17,80	W
Emiddle	93	lex
Lwa-SPEmax	57	dBa