

SIRIO

Version

Ceiling 90

Collection

Design+

EAN code

8034122358482

KACL.798#41F

Remote under-roof motor 950 m³/h

Collection

Accessoires

EAN code

8034122709833



*The photograph is purely for information
It may not correspond to the selected version.*

FEATURES

White tempered glass

Electronic control

Remote control included

Dynamic LED Light (2700K - 5600K)

OPTIONAL ACCESSORIES

KACL.782#49F

Slim motor 800 m³/h

KACL.798#41F

Remote under-roof motor 950 m³/h

KACL.770#41F

Remote under-roof 1100 m³/h

Brushless

KACL.786#41F

Outdoor extractor fan 1000 m³/h

KACL.796#4AF

Outdoor extractor fan 1500 m³/h

KACL.939#BF

Ceiling re-circulation filtering kit (only for Slim Motor)

TECHNICAL FEATURES

Installation type

Ceiling

Dimensions

90 cm

Type of control

Electronic control

Speed settings

4

Lighting

Led 4x3,6 W - 2700 K / 5600 K

Filter

Metallic filter "Base" - 290x326 mm - 2 pz

PACKAGING:WEIGHTS AND VOLUMES

SIRIO

Ceiling 90

Gross weight

31.70 kg

Net weight

27.80 kg

Volume

0.21 m³

Packaging size

Length

1330 mm

Height

725 mm

Depth

215 mm

REMOTE MOTOR

Remote under-roof motor 950 m³/h

Gross weight

10.00 kg

Net weight

9.00 kg

Volumes

0.06 m³

Packaging size

Length

435 mm

Height

340 mm

Depth

385 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

391 W

Voltage / Frequency

220-240V

50-60Hz

MOTOR TECHNICAL SHEET

Maximum capacity

830 m³/h

I.E.C. 61591

Maximum noise level

68 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

580 Pa

Max. motor power

270 W

SIRIO

Version

Ceiling 90

Collection

Design+

EAN code

8034122358482

KACL.798#41F

Remote under-roof motor 950

m³/h

Collection

Accessoires

EAN code

8034122709833

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	50	57	64	68
Capacity (m3/h) I.E.C.61591 Normalized Pipes	360	480	630	830
Maximum pressure (Pa)	480	520	560	580
Motor Power (W)	190	220	250	270
Air outlet	150	150	150	150

CAPACITY / PRESSURE

