

## ALBA

Moottori 950 m<sup>3</sup>/h

Design+

8034122359526



*The photograph is purely for information  
It may not correspond to the selected version.*

### OMINAISUUDET

**Reunaimu**  
**Elektroniset kytkimet**  
**Metalliset rasvasuodattimet, irroitettavat ja pestävät**  
**Lisävarusteena uudelleen aktivoitava Carbon.Zeo suodatin**  
**Kaukosäädin vakiovarusteena**  
**LED-nauha valaistus**  
**Reunaimusuoja lasia maalattu matta valkoinen paneeli**  
**Mahdollista maalata paneeli**  
**Motor sold separately**  
**Dialogijärjestelmän automaattinen tila**

Alba voidaan kytkeä kaikkiin saatavilla oleviin moottoreihin.  
Kts s. 36

### OPTIONAL ACCESSORIES

**KACL.396**  
Flange - Ø200  
**KACL.398**  
Ø150 - Flange  
**KACL.770#41F**  
Harjaton  
**KACL.782#49F**  
Ohut moottori 800 m<sup>3</sup>/h  
**KACL.786#41F**  
Outdoor extractor fan 1000 m<sup>3</sup>/h  
**KACL.789**  
Hormiliitos  
**KACL.796#4AF**  
Outdoor extractor fan 1500 m<sup>3</sup>/h  
**KACL.797#4AF**  
Remote under-roof motor 1300 m<sup>3</sup>/h  
**KACL.798#41F**  
Moottori 950 m<sup>3</sup>/h  
**KACL.928**  
Varasuodatin  
**KACL.931**  
Varasuodatin Carbon.Zeo  
**KACL.939#BF**  
Suodatin kit kattoon

### TECHNICAL FEATURES

**Installation type**  
Katto  
**Dimensions**  
120 cm  
**Viimeistelystä**  
Karkaistu lasi  
**Type of control**  
Elektroniset kytkimet  
**Speed settings**  
3 + boost  
**Lighting**  
LED (4000 K)

: 150 cm  
: 150 cm

### PACKAGING: WEIGHTS AND VOLUMES

**ALBA**  
52.2 kg  
45.2 kg  
0.37 m<sup>3</sup>  
1395 mm  
310 mm  
865 mm  
Moottori 950 m<sup>3</sup>/h  
10 kg  
9 kg  
0.06 m<sup>3</sup>  
435 mm  
340 mm  
385 mm

### CONSUMPTION AND CONNECTION FEATURES

90 W  
220-240V  
50-60Hz

### MOTOR TECHNICAL SHEET

830 m<sup>3</sup>/h  
I.E.C. 61591  
68 dB(A)re1pW  
I.E.C.60704-2-13  
580 Pa  
270 W  
C

**KACL.953#BF**


Carbon Zeo vertikaali ulostulo  
kattosuodatin-kit

## ALBA

Mototori 950 m<sup>3</sup>/h

Design+

8034122359526



*Hood and motor dimensions*

ALBA


Mototori 950 m<sup>3</sup>/h

Design+

8034122359526

## MOTOR TECHNICAL SHEET

Speed motor	1	2	3	4
<b>dB(A)re1pW-I.E.C.60704-2-13</b>	50	57	64	68
<b>(m<sup>3</sup>/h) I.E.C.61591</b>	360	480	630	830
	480	520	560	580
	190	220	250	270
	150	150	150	150




ALBA

Moottori 950 m<sup>3</sup>/h

Design+

8034122359526



PF		
S	Falmec Spa	
M	Moottori 950 m <sup>3</sup> /h	
AEC	110,2	kWh/a
EEC	C	
FDE	29,5	
FDEC	A	
LE	4,0	
LEC	G	
GFE	65,1	
GFEC	D	
Qmin	360,0	m <sup>3</sup> /h
Qmax	630,0	m <sup>3</sup> /h
Qboost	830,0	m <sup>3</sup> /h
SPEmin	50	dBa
SPEmax	64	dBa
SPEboost	68	dBa
PO	-	W
PS	0,48	W
PI		
F	0.9	
EEL	72,1	
Qbep	441,0	m <sup>3</sup> /h
Pbep	434	Pa
Qboost	830,0	m <sup>3</sup> /h
Wbep	180,0	W
WL	70,00	W
Emiddle	277	lux
Lwa-SPEmax	64	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEL\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.