

DOWN DRAFT

Version

FDNUVMTR600 - Motor 600
CFM

Collection

Design+

EAN code

8034122359083

FEATURES

Perimeter suction
Touch control + 24 h function
LED lighting
Top filter, removable and washable
Optional remote control
Motor sold separately

Recommended mounting
minimum distance from cooking
surface: 6cm (2 3/8");
Strip led 4000°K from 12.28.21

OPTIONAL ACCESSORIES

FDNUVMTR600

FDNUVMTR600 - Motor 600
CFM

KACL.931

Filters Carbon.Zeo - Spare

KACL.955

Base grid (underbase Slim filter
unit - h60mm)

TECHNICAL FEATURES

Installation type

Worktop

Dimensions

36 / 90 cm

Finish

Type of control

Mechanical control

Speed settings

4

Lighting

Strip led (4000K)

Ambient lighting

Led strip

Filter

Metallic filter "Top" - 254x216
mm

Minimum distance

Gas hob: 2 in

Electric hob: 3 in



Photograph is for information purposes only
May not correspond to the selected version

PACKAGING:WEIGHTS AND VOLUMES

DOWN DRAFT Gross weight

98 lbs

Net weight

82 lbs

Volumes

13 ft³

Packaging size

Length

43 in

Height

15 in

Depth

35 in

REMOTE MOTOR

FDNUVMTR600 - Motor 600

CFM Gross weight

23 lbs

Net weight

20 lbs

Volumes

3 ft³

Packaging size

Length

18 in

Height

14 in

Depth

16 in

CONSUMPTION AND CONNECTION FEATURES

Plug type

Hood comes standard with Nema
5-15P power cord

MOTOR TECHNICAL SHEET

Maximum capacity

480 m³/h

I.E.C. 61591

Maximum noise level

65 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)




500 Pa

Max. motor power

180 W

ENERGY CLASS

0



DOWN DRAFT

Version

FDNUVMTR600 - Motor 600

CFM

Collection

Design+

EAN code

8034122359083

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3
Noise level dB(A) _{re1pW-I.E.C.60704-2-13}	49	58	65
Capacity (m ³ /h) I.E.C.61591	220	320	480
Maximum pressure (Pa)	270	400	500
Motor Power (W)	100	130	180
Air outlet	120	120	120

CAPACITY / PRESSURE

