

## PLANE NRS

### Version

Wall 90 cm - 800 m<sup>3</sup>/h

### Collection

NRS Collection

### EAN code

8034122343235



The photograph is purely for information  
It may not correspond to the selected version.

## FEATURES

- Scotch brite stainless steel (AISI 304)**
- NRS technology for a quieter kitchen**
- Electronic control**
- LED lighting**
- Air Falmec filter for balanced suction**
- Optional charcoal filter**

## OPTIONAL ACCESSORIES

- KACL.921**  
High Performance Filter
- KACL.570#I**  
Extension H700 - Wall
- KACL.571#I**  
Extension H960 - Wall
- KACL.815**  
Protective cleaning cloths for stainless steel (box 10 pcs)
- KACL.400**  
Silent / Conveyor NRS

## TECHNICAL FEATURES

- Installation type**  
Wall
- Dimensions**  
90 cm
- Finishing**  
Scotch brite stainless steel (AISI 304)
- Motor**  
800 m<sup>3</sup>/h
- Type of control**  
Electronic control
- Speed settings**  
4
- Lighting**  
Led 2x1,2 W - 3200 K
- Filter**  
Metallic filter "Air Falmec" - Wall 278x301 mm - 2 pz
- Charcoal filter**  
High Performance Filter
- Minimum distance**  
Gas hob: 63 cm  
Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES


- Gross weight**  
40.00 kg
- Net weight**  
34.00 kg
- Volume**  
0.51 m<sup>3</sup>
- Packaging size**  
Length  
1035 mm  
Height  
740 mm  
Depth  
670 mm

## CONSUMPTION AND CONNECTION FEATURES

- Maximum consumption**  
280 W
- Voltage / Frequency**  
220-240V  
  
50-60Hz
- Plug type**  
Shuko

## MOTOR TECHNICAL SHEET

- Maximum capacity**  
610 m<sup>3</sup>/h  
I.E.C. 61591
- Maximum noise level**  
54,5 dB(A)re1pW  
I.E.C.60704-2-13
- Maximum pressure (Pa)**  
510 Pa
- Max. motor power**  
224 W
- ENERGY CLASS**  
B



## PLANE NRS

### Version

Wall 90 cm - 800 m<sup>3</sup>/h

### Collection

NRS Collection

### EAN code

8034122343235

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591 Normalized Pipes	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Motor Power (W)	130	150	178	224
Air outlet	150	150	150	150

## PLANE NRS

### Version

Wall 90 cm - 800 m<sup>3</sup>/h


### Collection

NRS Collection

### EAN code

8034122343235

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Wall 90 cm - 800 m <sup>3</sup> /h	
AEC	51,7	kWh/a
ECC	B	
FDE	28,9	
FDEC	A	
LE	20,5	
LEC	B	
GFE	80,0	
GFEC	C	
Qmin	220,0	m <sup>3</sup> /h
Qmax	375,0	m <sup>3</sup> /h
Qboost	610,0	m <sup>3</sup> /h
SPEmin	37	dBa
SPEmax	46	dBa
SPEboost	55	dBa
PO	-	W
PS	0,48	W
PI		
F	1,0	
EEl	57,3	
Qbep	369,0	m <sup>3</sup> /h
Pbep	369	Pa
Qboost	610,0	m <sup>3</sup> /h
Wbep	131,0	W
WL	5,30	W
Emiddle	109	lux
Lwa-SPEmax	46	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.