

PLANE WHITE

01PL-90-VSH Væg 90 cm - Hvid
- 800 m³/h

Sortiment

White

EAN Kode

8034122342108



Fotografiet er udelukkende informativt
Korresponderer ikke nødvendigvis tmed den valgte model

FUNKTIONER

Hvidlakeret stål

Kantsug

Elektronisk kontrolpanel

LED lys

Vaskbare rustfrie fedtfiltere

Kulfilter

MULIGHEDER FOR TILVALG

01KU-3

Rektangulært kulfilter. Type 3

01MO-GAVL

Gavlmotor til udendørs brug

1000 m³/h

01MO-GAVL-15

Gavlmotor til udendørs brug

1500 m³/h

01MO-LOFT

Loftmotorer under taget 950

m³/h

01MO-LOFT-13

Loftmotor 1300 m³ Ø200 mm

101080245

Metallfiltere - Base - 278x301 mm

KACL.770#41F

Loftmotorer 1100 m³/h

Brushless

KACL.864

Air flow conveyer til recirkulation. Væghængte modeller.

KACL.948#IF

Filter unit for t-shaped wall hoods

TEKNISK BESKRIVELSE

Installation

Væg

Dimensioner

90 cm

Materiale

Hvidlakeret stål

Motor

800 m³/h

Betjening

Elektronisk kontrolpanel

Hastighed

3 + boost

Belysning

LED 2x1,2 W - 3200 K

Filter

3 x Metallfiltere - Base - 278x301 mm

Kulfilter

Rektangulært kulfilter. Type 3 (Tilvalg)

Minimumsafstand

Gaskomfur: 63 cm

Kogeplade: 52 cm

EMBALLAGE: VÆGT OG VOLUMEN

Bruttovægt

25 kg

Nettovægt

20 kg

Volumen

0.27 m³

Mål på emballage

Længde

995 mm

Højde

450 mm

Dybde

595 mm

FORBRUG OG TILSLUTNINGSMULIGHEDER

Maksimalt forbrug

280 W

Spænding

220-240V

Frekvens

50-60Hz

Shuko

DATABLAD MOTOR

Maksimal kapacitet

680 m³/h

I.E.C. 61591

Maksimalt støjniveau

68 dB(A)_{re1pW}

I.E.C.60704-2-13

Maksimalt tryk (Pa)


500 Pa

Maksimal sugestyrke

215 W

ENERGIKLASSE

B



PLANE WHITE

01PL-90-VSH Væg 90 cm - Hvid
- 800 m³/h

Sortiment

White


EAN Kode

8034122342108

DATABLAD MOTOR

| Motorhastighed | 1 | 2 | 3 | 4 |
|---|-----|-----|-----|-----|
| Støjniveau dB(A) _{re1pW-I.E.C.60704-2-13} | 49 | 56 | 62 | 68 |
| Kapacitet (m ³ /h) I.E.C.61591 | 280 | 370 | 480 | 680 |
| Maksimalt tryk (Pa) | 390 | 420 | 480 | 500 |
| Forbrug (W) | 132 | 153 | 175 | 215 |
| Luftudtag | 150 | 150 | 150 | 150 |

KAPACITET / TRYK



PLANE WHITE


01PL-90-VSH Væg 90 cm - Hvid
- 800 m³/h

Sortiment

White

EAN Kode

8034122342108



| PF | | |
|------------|--|-------------------|
| S | Falmec Spa | |
| M | 01PL-90-VSH Væg 90 cm - Hvid - 800 m ³ /h | |
| AEC | 66,1 | kWh/a |
| EEC | B | |
| FDE | 26,3 | |
| FDEC | B | |
| LE | 20,5 | |
| LEC | B | |
| GFE | 80,0 | |
| GFEC | C | |
| Qmin | 280,0 | m ³ /h |
| Qmax | 480,0 | m ³ /h |
| Qboost | 680,0 | m ³ /h |
| SPEmin | 49 | dBa |
| SPEmax | 62 | dBa |
| SPEboost | 68 | dBa |
| PO | - | W |
| PS | 0,48 | W |
| PI | | |
| F | 1,1 | |
| EEl | 63,9 | |
| Qbep | 382,0 | m ³ /h |
| Pbep | 384 | Pa |
| Qboost | 680,0 | m ³ /h |
| Wbep | 155,1 | W |
| WL | 5,30 | W |
| Emiddle | 109 | lux |
| Lwa-SPEmax | 62 | dBa |

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax_Sound pressure level at the highest speed.