

## FLIPPER NRS

Væg - 85 cm - Hvid mat  
glasfront - 800 m<sup>3</sup>/h

### Sortiment

Silence - NRS

### EAN Kode

8034122355115



Fotografiet er udelukkende informativt  
Korresponderer ikke nødvendigvis tmed den valgte model

## FUNKTIONER

**NRS teknologi for et roligere køkken**

**Elektronisk kontrolpanel**

**LED lys**

**Vaskbare rustfrie fedtfilter**

**Tilvalg kulfilter**

**Dæmpbart LED-lys**

**Dynamic LED Light (2700K - 5600K)**

From 04.11.2024 the dynamic and dimmable light is included.

## MULIGHEDER FOR TILVALG

### 101078897

High performance filter

### KACL.400

Silent / Conveyor NRS

### KACL.570#I

Forlænger H700 væg

### KACL.571#B

Extension H960 - Wall - white

### KACL.571#I

Forlænger H960 væg

## TEKNISK BESKRIVELSE

### Installation

Væg

### Dimensioner

85 cm

### Materiale

Hvidt glas, satin finish

### Motor

800 m<sup>3</sup>/h

### Betjening

Elektronisk kontrolpanel

### Hastighed

3 + boost

### Belysning

Led 2x1,2 W - 2700 K / 5600 K

### Filter

2 x Metallfilter - Base - 284x234 mm

### Kulfilter

High performance filter (Tilvalg)

### Minimumsafstand

Gaskomfur: 52 cm

Kogeplade: 52 cm

## EMBALLAGE: VÆGT OG VOLUMEN

### Bruttovægt

43.4 kg

### Nettovægt

36 kg

### Volumen

0.5 m<sup>3</sup>

### Mål på emballage

Længde

1030 mm

Højde

495 mm

Dybde

975 mm

## FORBRUG OG TILSLUTNINGSMULIGHEDER

### Maksimalt forbrug

280 W

### Spænding

220-240V

### Frekvens

50-60Hz

Shuko

## DATA BLAD MOTOR

### Maksimal kapacitet

610 m<sup>3</sup>/h

I.E.C. 61591

### Maksimalt støjniveau

54,5 dB(A)re1pW

I.E.C.60704-2-13

### Maksimalt tryk (Pa)


510 Pa

### Maksimal sugestyrke

224 W

## ENERGIKLASSE

B



## FLIPPER NRS

Væg - 85 cm - Hvid mat  
glasfront - 800 m3/h

### Sortiment

Silence - NRS


### EAN Kode

8034122355115

## DATABLAD MOTOR

Motorhastighed	1	2	3	4
Støjniveau dB(A) <sub>re1pW-I.E.C.60704-2-13</sub>	37	41	46	54,5
Kapacitet (m3/h) I.E.C.61591	220	290	375	610
Maksimalt tryk (Pa)	390	440	490	510
Forbrug (W)	130	150	178	224
Luftudtag	150	150	150	150

# KAPACITET / TRYK



## FLIPPER NRS


Væg - 85 cm - Hvid mat  
glasfront - 800 m3/h

### Sortiment

Silence - NRS

### EAN Kode

8034122355115



PF		
S	Falmec Spa	
M	Væg - 85 cm - Hvid mat glasfront - 800 m3/h	
AEC	53,9	kWh/a
EEC	B	
FDE	28,3	
FDEC	A	
LE	21,6	
LEC	B	
GFE	82,0	
GFEC	C	
Qmin	220,0	m <sup>3</sup> /h
Qmax	375,0	m <sup>3</sup> /h
Qboost	610,0	m <sup>3</sup> /h
SPEmin	37	dBa
SPEmax	46	dBa
SPEboost	55	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	57,6	
Qbep	356,0	m <sup>3</sup> /h
Pbep	392	Pa
Qboost	610,0	m <sup>3</sup> /h
Wbep	137,0	W
WL	5,30	W
Emiddle	114	lux
Lwa-SPEmax	46	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.