

MARTE PRO

Versiune
Perete 120 cm - 950 m3/h

Colectie
Professional

Cod EAN
8034122355214



CARACTERISTICI

Control electronic
Iluminare cu LED
Colector de grasime
Filtru de grasime deflector

ACCESORII OPTIONALE

KACL.770#41F
Motor de acoperis 1100 m3/h
Brushless
KACL.786#41F
Motor de exterior 1000 m3/h
KACL.796#4AF
Motor de exterior 1500 m3/h
KACL.797#4AF
Motor de acoperis 1300 m3/h
KACL.815
Lavete pentru curatare inox
(cutie 10 buc)

CARACTERISTICI TEHNICE

Tip de instalare
De perete
Dimensiuni
120 cm
Finisaj
Inox Scotch Brite (AISI 304)
Motor
1000 m³/h
Tipul panoului de control
Control electronic
Setari de viteza
4
Iluminare
LED 4x1,2 W - 3200 K
Filtru
3 x Filtru metalic "Deflector" -
350x350 mm
Distanța minima
Plita cu gaz: 60 cm
Plita electrica: 52 cm

AMBALARE: GREUTATE SI VOLUM


Greutate bruta
39 kg
Greutate neta
33 kg
Volum
0.44 m³
Dimensiuni ambalaj
Lungime
1310 mm
Inaltime
560 mm
Adancime
595 mm

CARACTERISTICI CONSUM SI CONEXIUNE

Consum maxim
320 W
Curent
220-240V
Frecventa
50-60Hz
Tip stecher
Shuko

FISA TEHNICA MOTOR

Capacitate maxima
860 m³/h
I.E.C. 61591
Nivel de zgomot maxim
69 dB(A)re1pW
I.E.C.60704-2-13
Presiune maxima (Pa)
600 Pa
Putere maxima motor
260 W
CLASA DE ENERGIE
B



MARTE PRO

Versiune
Perete 120 cm - 950 m3/h


Colectie
Professional

Cod EAN
8034122355214

FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	53	58	64	69
Capacitate (m3/h) I.E.C.61591	350	470	620	860
Presiune maxima (Pa)	500	540	560	600
Putere motor (W)	185	215	240	260
Evacuare aer	150	150	150	150

CAPACITATE/ PRESIUNE



MARTE PRO

Versiune
Perete 120 cm - 950 m3/h

Colectie
Professional

Cod EAN
8034122355214

ETICHETA DE ENERGIE

