

## PLANE NRS

### Version

FNPLS36W5SS-R Wall - 36"  
(90 cm) 500 CFM

### Collection

Silence - NRS

### EAN code

8034122345901



Photograph is for information purposes only  
May not correspond to the selected version

## FEATURES

**Scotch brite stainless steel (AISI 304)**  
**NRS technology for a quieter kitchen**  
**Electronic control**  
**LED lighting**  
**Air Falmec filter for balanced suction**  
**Combined Carbon.Zeo filter, regenable**  
**SRS Speed reduction system**

Recommended mounting height from cooking surface to hood bottom: 24" - 35"

Availability Carbon.Zeo filter KACL.1039 for hoods produced from Sept. 2024

## OPTIONAL ACCESSORIES

### KACL.1039

Carbon.Zeo Microtech filter

### KACL.400

Silent / Conveyor NRS

### KACL.570#I

Extension H700 Wall - Inox

### KACL.571#I

Extension H960 Wall - Inox

### KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

### KACL.921

High Performance Filter

## TECHNICAL FEATURES

### Installation type

Wall

### Dimensions

36 / 90 cm

### Finish

Scotch brite stainless steel (AISI 304)

### Motor

500 CFM

### Type of control

Electronic control

### Speed

4

### Lighting

Led 3x1,2 W - 3200 K

### Filter

2 x Metallic filter "Air Falmec" - Wall 278x301 mm

### Charcoal filter

Carbon.Zeo Microtech filter (optional)

### Minimum distance

Gas hob: 25 in

Electric hob: 21 in

## PACKAGING:WEIGHTS AND VOLUMES

### Gross weight

89 lbs

### Net weight

75 lbs

### Volumes

19 ft<sup>3</sup>

### Packaging size

Length

41 in

Height

27 in

Depth

30 in

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

280 W

### Plug type

Hood comes standard with Nema 5-15P power cord

## MOTOR TECHNICAL SHEET

### Maximum capacity

610 m<sup>3</sup>/h

I.E.C. 61591

### Maximum noise level

54,5 dB(A)re1pW


I.E.C.60704-2-13

### Maximum pressure (Pa)

510 Pa

### Max. motor power

224 W



## PLANE NRS

### Version

FNPLS36W5SS-R Wall - 36"  
(90 cm) 500 CFM

### Collection

Silence - NRS

### EAN code

8034122345901

## MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

