

GRUPPO INCASSO NRS

Version

FNINS20B5SS-R/ Built-in - 19
11/16" (50 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122350332



Photograph is for information purposes only
May not correspond to the selected version

FEATURES

NRS technology for a quieter kitchen

Electronic control

Metallic grease filter, removable and washable

Combined Carbon.Zeo filter, regenable

Optional remote control

Dynamic LED Light (2700K - 5600K)

Recommended mounting height from cooking surface to hood bottom: 24" - 36"

OPTIONAL ACCESSORIES

KACL.400

Silent / Conveyor NRS

KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

KACL.961

Charcoal and Zeolite filter

105080053

Remote control

TECHNICAL FEATURES

Installation type

Built-in

Dimensions

50 cm

Finish

Scotch brite stainless steel (AISI 304)

Motor

800 m³/h

Type of control

Electronic control

Speed settings

4

Lighting

Led 2x1,2 W - 3200 K

Filter

Top - Gr. Incasso NRS / 50 cm

Charcoal filter

Charcoal and Zeolite filter (optional)

Minimum distance

Gas hob: 63 cm

Electric hob: 52 cm

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

26.2 kg

Net weight

21.6 kg

Volumes

0.26 m³

Packaging size

Length

950 mm

Height

410 mm

Depth

655 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Plug type

Hood comes standard with Nema 5-15P power cord

MOTOR TECHNICAL SHEET

Maximum capacity

610 m³/h

I.E.C. 61591

Maximum noise level

55 dB(A)re1pW

I.E.C.60704-2-13


Maximum pressure (Pa)

582 Pa

Max. motor power

224 W

ENERGY CLASS



Cut-out size: 19 15/16" (506) x 10 5/16" (262)

GRUPPO INCASSO NRS

Version

FNINS20B5SS-R/ Built-in - 19
11/16" (50 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122350332

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	55
Capacity (m3/h) I.E.C.61591	190	300	380	610
Maximum pressure (Pa)	490	500	520	582
Motor Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

