

GRUPPO INCASSO NRS

Version

FNINS28B5SS-R / Built-in -
28" (70 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122345833



Photograph is for information purposes only
May not correspond to the selected version

FEATURES

NRS technology for a quieter kitchen

Electronic control

Metallic grease filter, removable and washable

Combined Carbon.Zeo filter, regenable

Remote control included

Dynamic Light (2700K - 5600K)

SRS Speed reduction system

Recommended mounting height from cooking surface to hood bottom: 24" - 36"

Availability Carbon.Zeo filter KACL.1039 for hoods produced from Sept. 2024

OPTIONAL ACCESSORIES

105080053

Remote control

KACL.1039

Carbon.Zeo Microtech filter

KACL.400

Silent / Conveyor NRS

KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

TECHNICAL FEATURES

Installation type

Built-in

Dimensions

28 / 70 cm

Finish

Scotch brite stainless steel (AISI 304)

Motor

500 CFM

Type of control

Electronic control

Speed

4

Lighting

Strip Led - 2700 K / 5600 K

Filter

Top - Gruppo Incasso NRS / 70 cm

Charcoal filter

Carbon.Zeo Microtech filter (optional)

Minimum distance

Gas hob: 25 in

Electric hob: 21 in

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

61 lbs

Net weight

51 lbs

Volumes

10 ft³

Packaging size

Length

38 in

Height

17 in

Depth

26 in

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Plug type

Hood comes standard with Nema 5-15P power cord

MOTOR TECHNICAL SHEET

Maximum capacity

610 m³/h

I.E.C. 61591

Maximum noise level

54,5 dB(A)re1pW


I.E.C.60704-2-13

Maximum pressure (Pa)

510 Pa

Max. motor power

224 W



Cut-out size: 29 9/16" (751) x 10 5/16" (262)

GRUPPO INCASSO NRS

Version

FNINS28B5SS-R / Built-in -
28" (70 cm) 500 CFM

Collection

Silence - NRS

EAN code

8034122345833

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

