

LUMINA NRS

Version

FNLNA36I5SS / Island – 36"
(90 cm) Steel – 500 CFM

Collection

Silence - NRS

EAN code

8034122347226



Photograph is for information purposes only
May not correspond to the selected version

FEATURES

Scotch brite stainless steel (AISI 304)
Tempered glass with steel look finish
NRS technology for a quieter kitchen
Touch control + 24 h function
Fluorescent ambient light
Fluorescent lighting
Metallic grease filter, removable and washable
Combined Carbon.Zeo filter, regenable

Recommended mounting height from cooking surface to hood bottom: 24" - 35";

Availability Carbon.Zeo filter KACL.961 for hoods produced from 11/02/2020

Availability Carbon.Zeo filter KACL.1039 for hoods produced from Sept. 2024

OPTIONAL ACCESSORIES

KACL.400


Silent / Conveyor NRS

KACL.572#I

Extension H1200 Island - Inox

KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)



TECHNICAL FEATURES

Installation type

Island

Dimensions

36 / 90 cm

Finish

Scotch brite stainless steel (AISI 304)

Tempered glass with white finish

Motor

500 CFM

Type of control

Touch control

Speed

4

Lighting

Fluorescent

Filter

2 x Metallic filter "Base" - 274x274 mm

Minimum distance

Gas hob: 26 in

Electric hob: 21 in

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

115 lbs

Net weight

100 lbs

Volumes

22 ft³

Packaging size

Length

43 in

Height

26 in

Depth

35 in

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Plug type

Hood comes standard with Nema 5-15P power cord

MOTOR TECHNICAL SHEET

Maximum capacity

610 m³/h

I.E.C. 61591

Maximum noise level

54,5 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

510 Pa

Max. motor power

224 W

LUMINA NRS

Version

FNLNA36I5SS / Island - 36"
(90 cm) Steel - 500 CFM

Collection

Silence - NRS

EAN code

8034122347226

MOTOR TECHNICAL SHEET

Motor Speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacity (m3/h) I.E.C.61591	220	290	375	610
Maximum pressure (Pa)	390	440	490	510
Power (W)	130	150	178	224
Air outlet	150	150	150	150

CAPACITY / PRESSURE

