

GRUPPO INCASSO TOUCH
VISION

Versiune
Gruppo Incasso Touch Vision

Colectie
Design

Cod EAN
8034122359755



Fotografie cu caracter strict orientativ
Aceasta poate sa nu corespunda versiunii selectate

CARACTERISTICI

Aspiratie perimetrala
Touch control
Filtru de grasime metalic,
detasabil si lavabil
Filtru de carbon inclus
Dynamic LED Light (2700K -
5600K)

ACCESORII OPTIONALE

KACL.770#41F
Motor de acoperis 1100 m3/h
Brushless
KACL.786#41F
Motor de exterior 1000 m3/h
KACL.796#4AF
Motor de exterior 1500 m3/h
KACL.797#4AF
Motor de acoperis 1300 m3/h
KACL.798#41F
Motor de acoperis 950 m3/h
KACL.934
Filtre Carbon.Zeo
KACL.950
Filter unit for built-in hoods

CARACTERISTICI TEHNICE

Tip de instalare
Incorporata
Dimensiuni
70 cm
Finisaj
Inox Scotch Brite (AISI 304)
Motor
800 m³/h
Tipul panoului de control
Touch control
Setari de viteza
4
Iluminare
Led 2x1,2 W - 2700 K / 5600 K
Filtru de Carbon
Filtru de carbon rotund Ø170 mm
- Tip 6 (inclus)
Distanța minima
Plita cu gaz: 62 cm
Plita electrica: 52 cm

AMBALARE: GREUTATE SI
VOLUM


Greutate bruta
12 kg
Greutate neta
9.4 kg
Volum
0.12 m³
Dimensiuni ambalaj
Lungime
855 mm
Inaltime
380 mm
Adancime
375 mm

CARACTERISTICI CONSUM SI
CONEXIUNE

Consum maxim
280 W
Curent
220-240V
Frecventa
50-60Hz

FISA TEHNICA MOTOR

Capacitate maxima
670 m³/h
I.E.C. 61591
Nivel de zgomot maxim
67 dB(A)re1pW
I.E.C.60704-2-13
Presiune maxima (Pa)
500 Pa
Putere maxima motor
215 W
CLASA DE ENERGIE
B



GRUPPO INCASSO TOUCH
VISION

Versiune
Gruppo Incasso Touch Vision


Colectie
Design

Cod EAN
8034122359755

FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	49	55	61	67
Capacitate (m3/h) I.E.C.61591	270	360	470	670
Presiune maxima (Pa)	390	420	460	500
Putere motor (W)	134	156	180	215
Evacuare aer	150	150	150	150

CAPACITATE/ PRESIUNE
[Pa]



GRUPPO INCASSO TOUCH
VISION

Versiune
Gruppo Incasso Touch Vision

Colectie
Design

Cod EAN
8034122359755

ETICHETA DE ENERGIE

