

## GHOST

### Version

Wall 60 cm - White - 600 m<sup>3</sup>/h

### Collection

Design+

### EAN code

8034122345970



*The photograph is purely for information  
It may not correspond to the selected version.*

## FEATURES

Frontal door with automatic opening system  
Touch control + 24 h function  
LED ambient light  
LED lighting  
Top filter, removable and washable  
Charcoal filter included

## OPTIONAL ACCESSORIES

### KACL.815

Protective cleaning cloths for stainless steel (box 10 pcs)

### 105080053

Remote control

## TECHNICAL FEATURES

### Installation type

Wall

### Dimensions

60 cm

### Finishing

Scotch brite stainless steel (AISI 304)

White tempered glass finishing

### Motor

600 m<sup>3</sup>/h

### Type of control

Touch control

### Speed settings

3

### Lighting

Led stripe 4 W - 5500 K

### Ambient lighting

Ambient led 2x5 W - 5500 K

### Filter

2 x Metallic filter "Top" - 235x306 mm

### Charcoal filter

Charcoal filter Ghost (2x) (included)

### Minimum distance

Gas hob: 55 cm

Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES

### Gross weight

37 kg

### Net weight

32 kg

### Volumes

0.26 m<sup>3</sup>

### Packaging size

Length

1330 mm

Height

265 mm

Depth

725 mm

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

230 W

### Voltage

220-240V

### Frequency

50-60Hz

### Plug type

Shuko

## MOTOR TECHNICAL SHEET

### Maximum capacity

450 m<sup>3</sup>/h

I.E.C. 61591

### Maximum noise level

62 dB(A)re1pW

I.E.C.60704-2-13

### Maximum pressure (Pa)


450 Pa

### Max. motor power

180 W

## ENERGY CLASS

C



## GHOST

### Version

Wall 60 cm - White - 600 m<sup>3</sup>/h

### Collection

Design+


### EAN code

8034122345970

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3
Noise level dB(A)re1pW- I.E.C.60704-2-13	51	56	62
Capacity (m <sup>3</sup> /h) I.E.C.61591	250	320	450
Maximum pressure (Pa)	380	420	450
Motor Power (W)	145	165	180
Air outlet	220x90 rect	220x90 rect	220x90 rect

## CAPACITY / PRESSURE



## GHOST

### Version

Wall 60 cm - White - 600 m<sup>3</sup>/h


### Collection

Design+

### EAN code

8034122345970

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Wall 60 cm - White - 600 m <sup>3</sup> /h	
AEC	77,9	kWh/a
EEC	C	
FDE	15,4	
FDEC	D	
LE	5,0	
LEC	F	
GFE	73,0	
GFEC	D	
Qmin	250,0	m <sup>3</sup> /h
Qmax	450,0	m <sup>3</sup> /h
Qboost	450,0	m <sup>3</sup> /h
SPEmin	51	dBa
SPEmax	62	dBa
SPEboost	-	dBa
PO	-	W
PS	0,48	W
PI		
F	1.4	
EEL	82,1	
Qbep	225,0	m <sup>3</sup> /h
Pbep	312	Pa
Qboost	450,0	m <sup>3</sup> /h
Wbep	127,0	W
WL	17,80	W
Emiddle	89	lux
Lwa-SPEmax	62	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEL\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.