

## LUMEN NRS

### Versiune


Perete - 90 cm - 800 m<sup>3</sup>/h

### Colectie

Nivel de zgomot redus - NRS

### Cod EAN

8034122362922



Fotografie cu caracter strict orientativ  
Aceasta poate sa nu corespunda versiunii selectate

## CARACTERISTICI

**Tehnologie NRS pentru liniste in bucatarie**

**Control electronic**

**Iluminare cu LED**

**Filtru de grasime Top, detasabil si lavabil**

**Optional - telecomanda**

**Dialogue system cu mod automat**

**Carbon.Zeo Microtech filter (optional)**

Availability Carbon.Zeo filter  
KACL.1039 for hoods produced  
from Sept. 2024

## ACCESORII OPTIONALE

### 105080053

Telecomanda

### KACL.1039

Carbon.Zeo Microtech filter

### KACL.400

Silentios / Conveier NRS

### KACL.570#I

Extensie H700 - Perete

### KACL.571#I

Extension H960 Wall - Inox

### KACL.815

Lavete pentru curatare inox  
(cutie 10 buc)

## CARACTERISTICI TEHNICE

### Tip de instalare

De perete

### Dimensiuni

90 cm

### Finisaj

Inox Scotch Brite (AISI 304)

### Motor

800 m<sup>3</sup>/h

### Tipul panoului de control

Control electronic

### Setari de viteza

3 + boost

### Iluminare

Strip led (4000K)

### Distanta minima

Plita cu gaz: 63 cm

Plita electrica: 52 cm

## AMBALARE: GREUTATE SI VOLUM

### Greutate bruta

37 kg

### Greutate neta

30.1 kg

### Volum

0.39 m<sup>3</sup>

### Dimensiuni ambalaj

Lungime

995 mm

Inaltime

660 mm

Adancime

595 mm

## CARACTERISTICI CONSUM SI CONEXIUNE

### Consum maxim

280 W

### Curent

220-240V

### Frecventa

50-60Hz

## FISA TEHNICA MOTOR

### Capacitate maxima

610 m<sup>3</sup>/h

I.E.C. 61591

### Nivel de zgomot maxim

54,5 dB(A)re1pW

I.E.C.60704-2-13

### Presiune maxima (Pa)


510 Pa

### Putere maxima motor

224 W

## CLASA DE ENERGIE

B



## LUMEN NRS

### Versiune

Perete - 90 cm - 800 m3/h

### Colectie

Nivel de zgomot redus - NRS


### Cod EAN

8034122362922

## FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	37	41	46	54,5
Capacitate (m3/h) I.E.C.61591	220	290	375	610
Presiune maxima (Pa)	390	440	490	510
Putere (W)	130	150	178	224
Evacuare aer	150	150	150	150

# CAPACITATE/ PRESIUNE



## LUMEN NRS

### Versiune

Perete - 90 cm - 800 m3/h


### Colectie

Nivel de zgomot redus - NRS

### Cod EAN

8034122362922

## ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Perete - 90 cm - 800 m3/h	
AEC	53,7	kWh/a
EEC	B	
FDE	28,9	
FDEC	A	
LE	35,2	
LEC	A	
GFE	80,0	
GFEC	C	
Qmin	220,0	m <sup>3</sup> /h
Qmax	375,0	m <sup>3</sup> /h
Qboost	610,0	m <sup>3</sup> /h
SPEmin	37	dBa
SPEmax	46	dBa
SPEboost	55	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	58,5	
Qbep	369,0	m <sup>3</sup> /h
Pbep	369	Pa
Qboost	610,0	m <sup>3</sup> /h
Wbep	131,0	W
WL	8,00	W
Emiddle	282	lux
Lwa-SPEmax	46	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.