

## VIRGOLA EVOLUTION

### Version

Evolution - Built-in 120 cm -  
Inox - 600 m<sup>3</sup>/h

### Collection

Design

### EAN code

8034122363356



*The photograph is purely for information  
It may not correspond to the selected version.*

## FEATURES

Tempered turning glass  
Electronic control  
Metallic grease filter,  
removable and washable  
Optional charcoal filter  
Possible to duct wall mounted  
from rear  
Dynamic LED Light (2700K -  
5600K)

## OPTIONAL ACCESSORIES

**KACL.108**  
Glass shelf 120 cm  
**KACL.960**  
Charcoal filter  
**KACL.961**  
Charcoal and Zeolite filter  
**KCVJN.00#3**  
Telescopic chimney h 185 + h 185  
**KCVJN.01#3**  
Chimney h 120 mm

## TECHNICAL FEATURES

**Installation type**  
Built-in  
**Dimensions**  
120 cm  
**Finishing**  
Scotch brite stainless steel  
**Motor**  
600 m<sup>3</sup>/h  
**Type of control**  
Electronic control  
**Lighting**  
Led 4x1,2 W - 2700 K / 5600 K  
**Filter**  
Metallic filter "Base" - 278x207  
mm  
**Minimum distance**  
Gas hob: 52 cm  
Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES


**Gross weight**  
16.5 kg  
**Net weight**  
12.7 kg  
**Volumes**  
0.25 m<sup>3</sup>  
**Packaging size**  
Length  
1295 mm  
Height  
410 mm  
Depth  
465 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**  
230 W  
**Voltage**  
220-240V  
**Frequency**  
50-60Hz  
**Plug type**  
Shuko

## MOTOR TECHNICAL SHEET

**Maximum capacity**  
580 m<sup>3</sup>/h  
I.E.C. 61591  
**Maximum noise level**  
65 dB(A)re1pW  
I.E.C.60704-2-13  
**Maximum pressure (Pa)**  
480 Pa  
**Max. motor power**  
200 W  
**ENERGY CLASS**  
B



## VIRGOLA EVOLUTION

### Version

Evolution - Built-in 120 cm -  
Inox - 600 m<sup>3</sup>/h

### Collection

Design


### EAN code

8034122363356

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3
Noise level dB(A)re1pW-I.E.C.60704-2-13	47	56	65
Capacity (m <sup>3</sup> /h) I.E.C.61591	240	350	580
Maximum pressure (Pa)	250	400	480
Motor Power (W)	130	160	200
Air outlet	150	150	150

## CAPACITY / PRESSURE



## VIRGOLA EVOLUTION

### Version

Evolution - Built-in 120 cm -  
Inox - 600 m3/h


### Collection

Design

### EAN code

8034122363356

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Evolution - Built-in 120 cm - Inox - 600 m3/h	
AEC	69,8	kWh/a
EEC	B	
FDE	23,2	
FDEC	B	
LE	31,4	
LEC	A	
GFE	80,0	
GFEC	C	
Qmin	240,0	m <sup>3</sup> /h
Qmax	580,0	m <sup>3</sup> /h
Qboost	580,0	m <sup>3</sup> /h
SPEmin	47	dBa
SPEmax	65	dBa
SPEboost	-	dBa
PO	-	W
PS	0,48	W
PI		
F	1.2	
EEl	69,9	
Qbep	360,0	m <sup>3</sup> /h
Pbep	337	Pa
Qboost	580,0	m <sup>3</sup> /h
Wbep	145,0	W
WL	8,60	W
Emiddle	270	lux
Lwa-SPEmax	65	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax\_Sound pressure level at the highest speed.