

## COVER

### Version

Wall - 85 cm - Terracotta clay -  
600 m<sup>3</sup>/h

### Designer

### Collection

Design

### EAN code

8034122363899



Photograph is for information purposes only  
It may not correspond to the selected version.

## FEATURES

**Electronic control**  
**Metallic grease filter, removable and washable**  
**Remote control (optional)**  
**Opening frontal**  
**Dynamic Light (2700K - 5600K)**  
**Ultra slim body**  
**Dialogue system with auto mode**  
**Carbon.Zeo Microtech filter (optional)**

Availability Carbon.Zeo filter  
KACL.1039 for hoods produced  
from Sept. 2024

## OPTIONAL ACCESSORIES

### 105080053

Remote control

### KACL.1039

Carbon.Zeo Microtech filter

### KCCFN.00#N

Kit chimney - Black

## TECHNICAL FEATURES

**Installation type**  
Wall  
**Dimensions**  
85 cm  
**Finishing**  
Materic finish - terracotta clay  
**Motor**  
600 m<sup>3</sup>/h  
**Type of control**  
Electronic control  
**Speed**  
3 + boost  
**Lighting**  
Led 2x1,2 W - 2700 K / 5600 K  
**Filter**  
Metal filter  
**Minimum distance**  
Gas hob: 52 cm  
Electric hob: 52 cm

## PACKAGING:WEIGHTS AND VOLUMES



**Gross weight**  
22.4 kg  
**Net weight**  
18.2 kg  
**Volumes**  
0.19 m<sup>3</sup>  
**Packaging size**  
Length  
950 mm  
Height  
310 mm  
Depth  
655 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**  
280 W  
**Voltage**  
220-240V  
**Frequency**  
50-60Hz

## MOTOR TECHNICAL SHEET

**Maximum capacity**  
570 m<sup>3</sup>/h  
I.E.C. 61591  
**Maximum noise level**  
67 dB(A)re1pW  
I.E.C.60704-2-13  
**Maximum pressure (Pa)**  
740 Pa  
**Max. motor power**  
205 W  
**ENERGY CLASS**  
B



## COVER

### Version

Wall - 85 cm - Terracotta clay -  
600 m<sup>3</sup>/h

### Designer

### Collection

Design


### EAN code

8034122363899

## MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	45	55	61	67
Capacity (m <sup>3</sup> /h) I.E.C.61591	210	305	425	570
Maximum pressure (Pa)	410	600	720	740
Power (W)	125	135	165	205
Air outlet	150	150	150	150

CAPACITY / PRESSURE



## COVER

### Version

Wall - 85 cm - Terracotta clay -  
600 m<sup>3</sup>/h

### Designer


### Collection

Design

### EAN code

8034122363899

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Wall - 85 cm - Terracotta clay - 600 m <sup>3</sup> /h	
AEC	78,7	kWh/a
EEC	B	
FDE	31,6	
FDEC	B	
LE	21,6	
LEC	B	
GFE	82,0	
GFEC	C	
Qmin	210,0	m <sup>3</sup> /h
Qmax	425,0	m <sup>3</sup> /h
Qboost	570,0	m <sup>3</sup> /h
SPEmin	45	dBa
SPEmax	61	dBa
SPEboost	67	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	60,1	
Qbep	353,0	m <sup>3</sup> /h
Pbep	584	Pa
Qboost	570,0	m <sup>3</sup> /h
Wbep	205,0	W
WL	5,30	W
Emiddle	114	lux
Lwa-SPEmax	61	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEI\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point /

Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximun air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.