

## COVER

### Versiyon

Wall 85 cm - White - 600 m<sup>3</sup>/h

### Koleksiyon

Design

### EAN kodu

8034122362823



Fotoğraf tamamen bilgi amaçlıdır  
Seçili versiyona ait olmayabilir.

## ÖZELLİKLER

**Elektronik kontrol**  
Çıkartılabilir ve yıkanabilir  
**Metal yağ filtresi**  
**Opsiyonel uzaktan kumanda**  
**Açılan ön kısım**  
**Aydınlık seviyesi ayarlanabilir led aydınlatma**  
**Dinamik Led aydınlatma (2700K - 5600K)**  
**Ultra slim body**  
**Otomatik modlu diyalog sistemi**  
**Carbon.Zeo Microtech filter (optional)**

Availability Carbon.Zeo filter  
KACL.1039 for hoods produced  
from Sept. 2024

## OPSİYONEL AKSESUARLAR

### 105080053

Uzaktan Kumanda

### KACL.1039

Carbon.Zeo Microtech filter

### KCCFN.00#B

Kit chimney Cover - White

## TEKNİK ÖZELLİKLER

**Kurulum tipi**  
Duvar  
**Ölçüler**  
85 cm  
**Finişler**  
Beyaz temperli cam  
**Motor**  
600 m<sup>3</sup>/h  
**Kontrol tipi**  
Elektronik kontrol  
**Hız ayarı**  
3 + boost  
**Aydınlatma**  
Led 2x1,2 W - 2700 K / 5600 K  
**Filtre**  
Metal filter AISI - Cover 85  
**Minimum uzaklık**  
Gazlı ocak: 52 cm  
Elektrikli ocak: 52 cm

## PAKETLEME: AĞIRLIK VE HACİM



**Brüt ağırlık**  
22.4 kg  
**Net ağırlık**  
18.2 kg  
**Hacimler**  
0.19 m<sup>3</sup>  
**Paketleme ölçüsü**  
Uzunluk  
950 mm  
Yükseklik  
310 mm  
Derinlik  
655 mm

## TÜKETİM VE BAĞLANTI ÖZELLİKLERİ

**Maksimum tüketim**  
280 W  
**Akım**  
220-240V  
**Frekans**  
50-60Hz

## MOTOR TEKNİK VERİLERİ

**Maksimum kapasite**  
570 m<sup>3</sup>/h  
I.E.C. 61591  
**Maksimum ses seviyesi**  
67 dB(A)re1pW  
I.E.C.60704-2-13  
**Maksimum basınç (Pa)**  
740 Pa  
**Maksimum motor gücü**  
205 W  
**ENERJİ SINIFI**  
B



## COVER

### Versiyon

Wall 85 cm - White - 600 m3/h

### Koleksiyon

Design


### EAN kodu

8034122362823

## MOTOR TEKNİK VERİLERİ

Motor hızı	1	2	3	4
Ses seviyesi dB(A) <sub>re1pW-I.E.C.60704-2-13</sub>	45	55	61	67
Kapasite (m3/h) I.E.C.61591	210	305	425	570
Maksimum basınç (Pa)	410	600	720	740
Gücü (W)	125	135	165	205
Hava çıkışı	150	150	150	150

# KAPASİTE / BASINÇ



## COVER

### Versiyon

Wall 85 cm - White - 600 m3/h


### Koleksiyon

Design

### EAN kodu

8034122362823

## ENERJİ ETİKETİ



PF		
S	Falmec Spa	
M	Wall 85 cm - White - 600 m3/h	
AEC	78,7	kWh/a
EEC	B	
FDE	31,6	
FDEC	B	
LE	21,6	
LEC	B	
GFE	82,0	
GFEC	C	
Qmin	210,0	m <sup>3</sup> /h
Qmax	425,0	m <sup>3</sup> /h
Qboost	570,0	m <sup>3</sup> /h
SPEmin	45	dBa
SPEmax	61	dBa
SPEboost	67	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	60,1	
Qbep	353,0	m <sup>3</sup> /h
Pbep	584	Pa
Qboost	570,0	m <sup>3</sup> /h
Wbep	205,0	W
WL	5,30	W
Emiddle	114	lux
Lwa-SPEmax	61	dBa

65/2014'e göre PF\_Ürün fişi S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). 66/2014'e göre PI\_Ek bilgi F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax\_Sound pressure level at the highest speed.