

ZERO

Version

Extracting - Worktop - 84 cm -
Black - 600 m³/h

Designer

Collection

Cooking systems

EAN code

8034122900933

FEATURES

Metallic grease filter, removable and washable

Combined regenerable Carbon.Zeo filter (optional)

Residual heat indicators

Recall function

Keep warm function (44°)

"Touch slider" control

9 cooking levels + boost

Automatic pot detection

Automatic cut-off timer (for each cooking zone)

Timer / minute minder

Safety switch-off / safety lock function

Pause function

Brushless Motor

Automode (suction speed automatically adjusts to cooking power)

4 cooking areas with Flex

Surface technology

Bridge function

Emptied liquid collector

Power level management from 2.8kW to 7.4kW

TECHNICAL FEATURES

Installation type

Worktop

Dimensions

84 cm

Finishing

Schott black glass

Motor

600 m³/h

Type of control

Touch control

Speed

9 + boost



*Photograph is for information purposes only
It may not correspond to the selected version.*

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

34 kg

Net weight

27.9 kg

Volumes

0.24 m³

Packaging size

Length

1055 mm

Height

375 mm

Depth

610 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

7560 W

Voltage

220-240V

Frequency

50-60Hz

MOTOR TECHNICAL SHEET

Maximum capacity

515 m³/h

I.E.C. 61591

Maximum noise level

70 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

810 Pa

Max. motor power

131 W

ENERGY CLASS

A+

OPTIONAL ACCESSORIES

KACL.155#NF

Black frame

KACL.930

Carbon.Zeo filter unit under base
h100 mm (extracting version)

KACL.951

Carbon filter unit under base
Slim h60 mm (extracting version)

KACL.955

Grid for air outlet (filter unit kit
under base Slim - h60mm)

ZERO

Version

Extracting - Worktop - 84 cm -
Black - 600 m3/h








Designer

Collection

Cooking systems

EAN code

8034122900933



ZERO

Version

Extracting - Worktop - 84 cm -
Black - 600 m3/h

Designer

Collection

Cooking systems

EAN code

8034122900933

MOTOR TECHNICAL SHEET

Motor speed	1	5	9	10
Noise level dB(A)re1pW- I.E.C.60704-2-13	62	68	69	70
Capacity (m3/h) I.E.C.61591	380	460	495	515
Maximum pressure (Pa)	200	550	780	810
Power (W)	11	32	74	131
Air outlet	220x90	220x90	220x90	220x90

ZERO

Version

Extracting - Worktop - 84 cm -
Black - 600 m3/h

Designer


Collection

Cooking systems

EAN code

8034122900933

ENERGY LABEL



PF		
S	Falmec Spa	
M	Extracting - Worktop - 84 cm - Black - 600 m3/h	
AEC	41,4	kWh/a
EEC	A+	
FDE	34,8	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	380,0	m ³ /h
Qmax	495,0	m ³ /h
Qboost	515,0	m ³ /h
SPEmin	62	dBa
SPEmax	69	dBa
SPEboost	70	dBa
PO	-	W
PS	0,48	W
PI		
F	0.8	
EEl	39,7	
Qbep	305,0	m ³ /h
Pbep	665	Pa
Qboost	515,0	m ³ /h
Wbep	162,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	69	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point /

Pbep_Measured air pressure at best efficiency point / Qboost_Maximun air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.