

## ZERO

### Version

Extracting - Worktop - 84 cm -  
Black - 600 m<sup>3</sup>/h

### Designer

### Collection

Cooking systems

### EAN code

8034122900933

## FEATURES

**Metallic grease filter, removable and washable**

**Combined regenerable Carbon.Zeo filter (optional)**

**Residual heat indicators**

**Recall function**

**Keep warm function (44°)**

**"Touch slider" control**

**9 cooking levels + boost**

**Automatic pot detection**

**Automatic cut-off timer (for each cooking zone)**

**Timer / minute minder**

**Safety switch-off / safety lock function**

**Pause function**

**Brushless Motor**

**Automode (suction speed automatically adjusts to cooking power)**

**4 cooking areas with Flex**

**Surface technology**

**Bridge function**

**Emptied liquid collector**

**Power level management from 2.8kW to 7.4kW**

## TECHNICAL FEATURES

**Installation type**

Worktop

**Dimensions**

84 cm

**Finishing**

Schott black glass

**Motor**

600 m<sup>3</sup>/h

**Type of control**

Touch control

**Speed**

9 + boost



Photograph is for information purposes only  
It may not correspond to the selected version.

## PACKAGING:WEIGHTS AND VOLUMES

**Gross weight**

34 kg

**Net weight**

27.9 kg

**Volumes**

0.24 m<sup>3</sup>

**Packaging size**

Length

1055 mm

Height

375 mm

Depth

610 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**

7560 W

**Voltage**

220-240V

**Frequency**

50-60Hz

## MOTOR TECHNICAL SHEET

**Maximum capacity**

515 m<sup>3</sup>/h

I.E.C. 61591

**Maximum noise level**

70 dB(A)re1pW

I.E.C.60704-2-13

**Maximum pressure (Pa)**

810 Pa

**Max. motor power**

131 W

**ENERGY CLASS**

A+

## OPTIONAL ACCESSORIES

### KACL.155#NF

Black frame

### KACL.930

Carbon.Zeo filter unit under base  
h100 mm (extracting version)

### KACL.951

Carbon filter unit under base  
Slim h60 mm (extracting version)

### KACL.955

Grid for air outlet (filter unit kit  
under base Slim - h60mm)

## ZERO

### Version

Extracting - Worktop - 84 cm -  
Black - 600 m3/h








### Designer

### Collection

Cooking systems

### EAN code

8034122900933



## ZERO

### Version

Extracting - Worktop - 84 cm -  
Black - 600 m3/h

### Designer

### Collection

Cooking systems

### EAN code

8034122900933

## MOTOR TECHNICAL SHEET

Motor speed	1	5	9	10
Noise level dB(A)re1pW- I.E.C.60704-2-13	62	68	69	70
Capacity (m3/h) I.E.C.61591	380	460	495	515
Maximum pressure (Pa)	200	550	780	810
Power (W)	11	32	74	131
Air outlet	220x90	220x90	220x90	220x90

## ZERO

### Version

Extracting - Worktop - 84 cm -  
Black - 600 m3/h

### Designer


### Collection

Cooking systems

### EAN code

8034122900933

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Extracting - Worktop - 84 cm - Black - 600 m3/h	
AEC	41,4	kWh/a
EEC	A+	
FDE	34,8	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	380,0	m <sup>3</sup> /h
Qmax	495,0	m <sup>3</sup> /h
Qboost	515,0	m <sup>3</sup> /h
SPEmin	62	dBa
SPEmax	69	dBa
SPEboost	70	dBa
PO	-	W
PS	0,48	W
PI		
F	0.8	
EEl	39,7	
Qbep	305,0	m <sup>3</sup> /h
Pbep	665	Pa
Qboost	515,0	m <sup>3</sup> /h
Wbep	162,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	69	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point /

Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximun air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.