

ZERO

Versiune

Zero - 84 cm - 600 m³/h

Colectie

Cooking systems

Cod EAN

8034122900933



Fotografie cu caracter strict orientativ
Aceasta poate sa nu corespunda versiunii selectate

CARACTERISTICI

Filtru de grasime metalic,
detasabil si lavabil

Optional - filtru combinat

Carbon.Zeo, regenerabil

Indicator de caldura reziduala

Functia Recall: resetarea

setarilor plitei in caz de oprire
accidentala

Functia de mentinere a caldurii:
maxim 70 gr.C

"Touch slider" control

9 Trepte de putere pentru gatit
+ functie Boost

Senzor de detectie a vasului

Automatic cut-off timer (for
each cooking zone)

Timer / Alarma

Functii de siguranta

Oprit/Blocat

Functie de Pauza

Motor Brushless

Automode (suction speed
automatically adjusts to
cooking power)

4 cooking areas with Flex
Surface technology

Bridge function

Liquid collector

Power level management from
2.8kW to 7.4kW

CARACTERISTICI TEHNICE

Tip de instalare

De blat

Dimensiuni

84 cm

Finisaj

Sticla neagra Schott

Motor

600 m³/h

Tipul panoului de control

Touch control

Setari de viteza

9 + boost

AMBALARE: GREUTATE SI VOLUM

Greutate bruta

34 kg

Greutate neta

27.9 kg

Volum

0.24 m³

Dimensiuni ambalaj

Lungime

1055 mm

Inaltime

375 mm

Adancime

610 mm

CARACTERISTICI CONSUM SI CONEXIUNE

Consum maxim

7560 W

Curent

220-240V

Frecventa

50-60Hz

FISA TEHNICA MOTOR

Capacitate maxima

515 m³/h

I.E.C. 61591

Nivel de zgomot maxim

70 dB(A)re1pW

I.E.C.60704-2-13

Presiune maxima (Pa)

810 Pa

Putere maxima motor

131 W

CLASA DE ENERGIE

A+

ACCESORII OPTIONALE

KACL.155#NF

Black frame

KACL.930

Filtru Carbon.Zeo Mic

KACL.951

Underbase Slim filter unit
(h60mm)

KACL.955

Base grid (underbase Slim filter
unit - h60mm)

ZERO

Versiune








Zero - 84 cm - 600 m3/h

Colectie

Cooking systems

Cod EAN

8034122900933



ZERO

Versiune

Zero - 84 cm - 600 m3/h

Colectie

Cooking systems

Cod EAN

8034122900933

FISA TEHNICA MOTOR

Viteza motorului	1	5	9	10
Nivel de zgomot dB(A)re1pW- I.E.C.60704-2-13	62	68	69	70
Capacitate (m3/h) I.E.C.61591	380	460	495	515
Presiune maxima (Pa)	200	550	780	810
Putere (W)	11	32	74	131
Evacuare aer	220x90	220x90	220x90	220x90

ZERO

Versiune

Zero - 84 cm - 600 m3/h


Colectie

Cooking systems

Cod EAN

8034122900933

ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M	Zero - 84 cm - 600 m3/h	
AEC	41,4	kWh/a
EEC	A+	
FDE	34,8	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	380,0	m ³ /h
Qmax	495,0	m ³ /h
Qboost	515,0	m ³ /h
SPEmin	62	dBa
SPEmax	69	dBa
SPEboost	70	dBa
PO	-	W
PS	0,48	W
PI		
F	0.8	
EEl	39,7	
Qbep	305,0	m ³ /h
Pbep	665	Pa
Qboost	515,0	m ³ /h
Wbep	162,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	69	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax_Sound pressure level at the highest speed.