

BRERA

Version

Worktop - 89 cm - Black - 800 m³/h

Designer

Collection

Cooking systems

EAN code

8034122900353



Photograph is for information purposes only
It may not correspond to the selected version.

FEATURES

Metallic grease filter, removable and washable

Residual heat indicators

Recall function

Keep warm function (44°)

"Touch slider" control

9 cooking levels + boost

Automatic pot detection

Automatic cut-off timer (for each cooking zone)

Timer / minute minder

Safety switch-off / safety lock function

Pause function

Double Bridge Function

Chef function

Brushless Motor

Automode (suction speed automatically adjusts to cooking power)

4 cooking areas with Flex

Surface technology

Motorized flap system

Emptied liquid collector

Power level management from 2.8kW to 7.4kW

Carbon.Zeo Microtech filter (optional)

TECHNICAL FEATURES

Installation type

Worktop

Dimensions

89 cm

Finishing

Schott black ceramic glass

Motor

800 m³/h

Type of control

Touch control

Speed

9 + boost

PACKAGING:WEIGHTS AND VOLUMES

Gross weight

35.5 kg

Net weight

30.3 kg

Volumes

0.29 m³

Packaging size

Length

980 mm

Height

480 mm

Depth

615 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

7560 W

Voltage

220-240V

Frequency

50-60Hz

MOTOR TECHNICAL SHEET

Maximum capacity

690 m³/h

I.E.C. 61591

Maximum noise level

66 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

680 Pa

Max. motor power

150 W

ENERGY CLASS

A+++

OPTIONAL ACCESSORIES

KACL.1026

Silence Kit

KACL.1054

Filter Carbon.Zeo Microtech renewable

BRERA

Version

Worktop - 89 cm - Black - 800
m3/h








Designer

Collection

Cooking systems

EAN code

8034122900353



BRERA

Version

Worktop - 89 cm - Black - 800
m3/h

Designer

Collection

Cooking systems


EAN code

8034122900353

MOTOR TECHNICAL SHEET

Motor speed	1	5	9	10
Noise level dB(A)re1pW-I.E.C.60704-2-13	44	57	65	66
Capacity (m3/h) I.E.C.61591	254	460	640	690
Maximum pressure (Pa)	200	650	670	680
Power (W)	11	50	110	150
Air outlet	150	150	150	150

CAPACITY / PRESSURE



BRERA

Version

Worktop - 89 cm - Black - 800 m3/h

Designer


Collection

Cooking systems

EAN code

8034122900353

ENERGY LABEL



PF		
S	Falmec Spa	
M	Worktop - 89 cm - Black - 800 m3/h	
AEC	16,5	kWh/a
EEC	A+++	
FDE	43,4	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	254,0	m³/h
Qmax	640,0	m³/h
Qboost	690,0	m³/h
SPEmin	44	dBa
SPEmax	65	dBa
SPEboost	66	dBa
PO	-	W
PS	0,48	W
PI		
F	0.4	
EEl	21,3	
Qbep	384,0	m³/h
Pbep	460	Pa
Qboost	690,0	m³/h
Wbep	113,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	65	dBa

PF_Product fiche according to 65/2014 S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / GFEC_Grease Filtering Efficiency class / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps). **PI_Additional information according to 66/2014** F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point /

Pbep_Measured air pressure at best efficiency point / Qboost_Maximun air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.