

## ELEKTRA

### Versiune

### Colectie

Mirabilia

### Cod EAN

8034122342429

### CARACTERISTICI

Inox AISI 304 Scotch Brite  
Sticla  
Aspiratie perimetrala  
Control electronic  
Iluminare ambientala cu LED  
Iluminare cu LED  
Filtru de grasime metalic,  
detasabil si lavabil  
Filtru de carbon inclus  
Posibilitatea de a conecta la  
tubulatură prin partea din spate

### ACCESORII OPTIONALE

#### KACL.575#I

Extensie H700 - Perete

#### KACL.576#I

Extensie H960 - Perete

#### KACL.770#41F

Motor de acoperis 1100 m<sup>3</sup>/h  
Brushless

#### KACL.786#41F

Motor de exterior 1000 m<sup>3</sup>/h

#### KACL.796#4AF

Motor de exterior 1500 m<sup>3</sup>/h

#### KACL.797#4AF

Motor de acoperis 1300 m<sup>3</sup>/h

#### KACL.798#41F

Motor de acoperis 950 m<sup>3</sup>/h

#### KACL.815

Lavete pentru curatare inox  
(cutie 10 buc)

### CARACTERISTICI TEHNICE

**Tip de instalare**  
De perete  
**Finisaj**  
Inox Scotch Brite (AISI 304)  
Sticla  
**Motor**  
800 m<sup>3</sup>/h  
**Tipul panoului de control**  
Control electronic  
**Setari de viteza**  
4  
**Iluminare**  
LED 2x1,2 W - 3200 K  
**Lumina ambientala**  
LED ambiental  
**Filtru**  
2 x Filtru metalic "Base" -  
277x294 mm  
**Filtru de Carbon**  
Filtru de carbon rotund Ø170 mm  
- Tip 6 (inclus)  
**Distanta minima**  
Plita cu gaz: 60 cm  
Plita electrica: 52 cm



Fotografie cu caracter strict orientativ  
Aceasta poate sa nu corespunda versiunii selectate

### AMBALARE: GREUTATE SI VOLUM

#### ELEKTRA Greutate bruta

22 kg

#### Greutate neta

18 kg

#### Volum

0.22 m<sup>3</sup>

#### Dimensiuni ambalaj

Lungime

915 mm

Inaltime

530 mm

Adancime

455 mm

#### KIT STICLA Elektra - Perete 67 cm Greutate bruta

7.4 kg

#### Greutate neta

6 kg

#### Volum

0.07 m<sup>3</sup>

#### Dimensiuni ambalaj

Lungime

515 mm

Inaltime

440 mm

Adancime

320 mm

### CARACTERISTICI CONSUM SI CONEXIUNE

#### Curent

220-240V

#### Frecventa

50-60Hz

#### Tip stecher

Shuko

#### FISA TEHNICA MOTOR

##### Capacitate maxima

590 m<sup>3</sup>/h

I.E.C. 61591

##### Nivel de zgomot maxim

64 dB(A)re1pW

I.E.C.60704-2-13

##### Presiune maxima (Pa)


500 Pa

##### Putere maxima motor

203 W

##### CLASA DE ENERGIE

B



## ELEKTRA

### Versiune

### Colectie

Mirabilia


### Cod EAN

8034122342429

## FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	45	50	55	64
Capacitate (m <sup>3</sup> /h) I.E.C.61591	230	300	380	590
Presiune maxima (Pa)	390	420	460	500
Putere motor (W)	134	156	180	203
Evacuare aer	150	150	150	150

## CAPACITATE/ PRESIUNE



ELEKTRA

Versiune


Colectie

Mirabilia

Cod EAN

8034122342429

## ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M		
AEC	55,7	kWh/a
EEC	B	
FDE	25,6	
FDEC	B	
LE	20,5	
LEC	B	
GFE	60,0	
GFEC	E	
Qmin	230,0	m <sup>3</sup> /h
Qmax	380,0	m <sup>3</sup> /h
Qboost	590,0	m <sup>3</sup> /h
SPEmin	45	dBa
SPEmax	55	dBa
SPEboost	64	dBa
PO	-	W
PS	0,48	W
PI		
F	1.1	
EEl	62,4	
Qbep	287,0	m <sup>3</sup> /h
Pbep	415	Pa
Qboost	590,0	m <sup>3</sup> /h
Wbep	129,0	W
WL	5,30	W
Emiddle	109	lex
Lwa-SPEmax	55	dBa