

MANHATTAN

Versiune

Colectie
Mirabilia

Cod EAN
8034122349077




Fotografie cu caracter strict orientativ
Aceasta poate sa nu corespunda versiunii selectate

CARACTERISTICI

Scotch brite stainless steel
(AISI 304)
Sticla
Aspiratie perimetrala
Control electronic
Iluminare ambientala cu LED
Iluminare cu LED
Filtru de grasime metalic,
detasabil si lavabil
Filtru de carbon inclus

ACCESORII OPTIONALE

KACL.274
Elektra - Insula 65 cm
KACL.276
Pharo - Insula 65 cm
KACL.277
Manhattan - Insula 65 cm
KACL.770#41F
Motor de acoperis 1100 m3/h
Brushless
KACL.786#41F
Motor de exterior 1000 m3/h
KACL.796#4AF
Motor de exterior 1500 m3/h
KACL.797#4AF
Motor de acoperis 1300 m3/h
KACL.798#41F
Motor de acoperis 950 m3/h
KACL.815
Lavete pentru curatare inox
(cutie 10 buc)



CARACTERISTICI TEHNICE

Tip de instalare
Insula
Finisaj
Inox Scotch Brite (AISI 304)
Sticla
Motor
800 m³/h
Tipul panoului de control
Control electronic
Setari de viteza
4
Iluminare
LED 4x1,2 W - 3200 K
Lumina ambientala
LED ambiental
Filtru
Filtru metalic "Base" - 277x294 mm
Filtru de Carbon
Filtru de carbon rotund Ø170 mm
- Tip 6 (inclus)
Distanta minima
Plita cu gaz: 60 cm
Plita electrica: 52 cm

AMBALARE: GREUTATE SI VOLUM

MANHATTAN Greutate bruta
30 kg
Greutate neta
23 kg
Volum
0.43 m³
Dimensiuni ambalaj
Lungime
1070 mm
Inaltime
460 mm
Adancime
870 mm
KIT STICLA Manhattan - Insula
65 cm **Greutate bruta**
10 kg
Greutate neta
8 kg
Volum
0.12 m³
Dimensiuni ambalaj
Lungime
590 mm
Inaltime
440 mm
Adancime
450 mm

CARACTERISTICI CONSUM SI CONEXIUNE

Curent
220-240V
Frecventa
50-60Hz
Tip stecher
Shuko

FISA TEHNICA MOTOR
Capacitate maxima
680 m³/h
I.E.C. 61591
Nivel de zgomot maxim
68 dB(A)re1pW
I.E.C.60704-2-13
Presiune maxima (Pa)
510 Pa
Putere maxima motor
224 W
CLASA DE ENERGIE
B

MANHATTAN

Versiune

Colectie

Mirabilia

Cod EAN

8034122349077

FISA TEHNICA MOTOR

Viteza motorului	1	2	3	4
Nivel de zgomot dB(A)re1pW-I.E.C.60704-2-13	54	57	63	68
Capacitate (m3/h) I.E.C.61591	270	370	490	680
Presiune maxima (Pa)	390	440	490	510
Putere motor (W)	130	150	178	224
Evacuare aer	150	150	150	150

CAPACITATE/ PRESIUNE




MANHATTAN

Versiune

Colectie
Mirabilia

Cod EAN
8034122349077

ETICHETA DE ENERGIE



PF		
S	Falmec Spa	
M		
AEC	61,2	kWh/a
EEC	B	
FDE	26,6	
FDEC	B	
LE	28,4	
LEC	A	
GFE	60,0	
GFEC	E	
Qmin	270,0	m³/h
Qmax	490,0	m³/h
Qboost	680,0	m³/h
SPEmin	54	dBa
SPEmax	63	dBa
SPEboost	68	dBa
PO	-	W
PS	0,48	W
PI		
F	1	
EEl	59,5	
Qbep	357,0	m³/h
Pbep	404	Pa
Qboost	680,0	m³/h
Wbep	150,6	W
WL	8,60	W
Emiddle	245	lex
Lwa-SPEmax	63	dBa