

## GRUPPO INCASSO PLUS

### Version

Plus - Built-in - 50 cm - Inox -  
800 m<sup>3</sup>/h

### Designer

### Collection

Design

### EAN code

8034122367187

## FEATURES

Perimeter suction  
Electronic control  
Metallic grease filter, removable  
and washable  
Optional charcoal filter  
Optional remote control  
Dimmable lighting  
Dynamic Light (2700K - 5600K)  
Dialogue system

## OPTIONAL ACCESSORIES

### 103050091

Round charcoal filter Ø170 mm -  
Type 6

### 105080053

Remote control

## TECHNICAL FEATURES

**Installation type**  
Built-in  
**Dimensions**  
50 cm  
**Finishing**  
Scotch brite stainless steel (AISI  
304)  
**Motor**  
800 m<sup>3</sup>/h  
**Type of control**  
Electronic control  
**Speed settings**  
3 + boost  
**Lighting**  
Led 2x1,7 W - 2700 K / 5600 K  
**Minimum distance**  
Gas hob: 62 cm  
Electric hob: 52 cm



*The photograph is purely for information  
It may not correspond to the selected version.*

## PACKAGING: WEIGHTS AND VOLUMES


**Gross weight**  
10 kg  
**Net weight**  
7.6 kg  
**Volumes**  
0.09 m<sup>3</sup>  
**Packaging size**  
Length  
635 mm  
Height  
380 mm  
Depth  
390 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**  
280 W  
**Current**  
220-240V  
**Frequency**  
50-60Hz

## MOTOR TECHNICAL SHEET

**Maximum capacity**  
638 m<sup>3</sup>/h  
I.E.C. 61591  
**Maximum noise**  
67 dB(A)re1pW  
I.E.C.60704-2-13  
**Maximum pressure (Pa)**  
510 Pa  
**Maximum power motor**  
245 W  
**ENERGY CLASS**  
B



## GRUPPO INCASSO PLUS

### Version

Plus - Built-in - 50 cm - Inox -  
800 m<sup>3</sup>/h

### Designer

### Collection

Design


### EAN code

8034122367187

## MOTOR TECHNICAL SHEET

Speed motor	1	2	3	4
Noise dB(A) <sub>re1pW-I.E.C.60704-2-13</sub>	50	58	63	67
Capacity (m <sup>3</sup> /h) I.E.C.61591	280	420	548	638
Maximum pressure (Pa)	430	470	500	510
Power (W)	145	175	215	245
Air outlet	150	150	150	150

## CAPACITY / PRESSURE



## GRUPPO INCASSO PLUS

### Version

Plus - Built-in - 50 cm - Inox -  
800 m<sup>3</sup>/h

### Designer


### Collection

Design

### EAN code

8034122367187

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Plus - Built-in - 50 cm - Inox - 800 m <sup>3</sup> /h	
AEC	53,3	kWh/a
EEC	B	
FDE	27,5	
FDEC	B	
LE	32,9	
LEC	A	
GFE	80,0	
GFEC	C	
Qmin	280,0	m <sup>3</sup> /h
Qmax	548,0	m <sup>3</sup> /h
Qboost	638,0	m <sup>3</sup> /h
SPEmin	50	dBa
SPEmax	63	dBa
SPEboost	67	dBa
PO	-	W
PS	0,28	W
PI		
F	1	
EEl	56,9	
Qbep	359,0	m <sup>3</sup> /h
Pbep	384	Pa
Qboost	638,0	m <sup>3</sup> /h
Wbep	139,0	W
WL	3,50	W
Emiddle	115	lux
Lwa-SPEmax	63	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEl\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point /

Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximun air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax\_Sound pressure level at the highest speed.